VOLUME 59 • AUTHOR INDEX

Abadie E *see* Kaufman JM *et al*
Acebes JC *see* Herrero-Beaumont G *et al*
Adami S *see* Kaufman JM *et al*
Aggarwal BB. Tumour necrosis factors receptor associated signalling molecules and their role in activation of apoptosis, JNK and NF-κB, **i6 (suppl I)**
Aho K *see* Heliövaara M *et al*
see Myllykangas-Luosujärvi R *et al*
see Savolainen A *et al*
Akama H *see* Nanke Y *et al*
Akgün K *see* Çalış M *et al*
Akkuş S *see* Melikoğlu M *et al*
Alamanos Y *see* Voulgari PV *et al*
Al-Bdour MD *see* Askari A *et al*
Alberty A *see* Xu J-W *et al*
Allen JA *see* Smyth AE *et al*
Almoznino-Sarafian D *see* Elkayam O *et al*
Alpay M, Cassem EH. Diagnosis and treatment of mood disorders in patients with rheumatic disease: *leader*, **2**
Ambrosone L *see* Migliaresi S *et al*
Amor B. What competence does a rheumatologist need?: an international perspective, **580**
Amoura Z *see* Aslangul-Castier E *et al*
Amoura Z *et al*. Familial macrophagic myofasciitis: *letter*, **927**
Anderson P. Post-transcriptional regulation of tumour necrosis factor α production, **i3 (suppl I)**
Andersson U *see* Ulfgren A-K *et al*
André M *et al*. A "missed" cryoglobulin: the importance of in vitro calcium concentration: *letter*, **490**
Aral O *see* Gül A *et al*
Arden N *see* Pendleton A *et al*
Arden NK *see* Price CM *et al*
Arend WP, Guthridge CJ. Biological role of interleukin 1 receptor antagonist isoforms, **i60 (suppl I)**
Arısoy N *see* Melikoğlu M *et al*
Armstrong R, Rasker JJ. http://www.ilar.org A source of information for rheumatologists, allied health professionals, medical students and the general public: *leader*, **241**
Aromaa A *see* Heliövaara M *et al*
Askari A *et al*. Ankylosing spondylitis in north Jordan, **571**
Aslangul-Castier E *et al*. Systemic vasculitis with bilateral perirenal haemorrhage in chronic myelomonocytic leukaemia, **390**
Athanasou NA *see* Itonaga I *et al*
Audran M *see* Kaufman JM *et al*
Auleley G-R *et al*. Radiographic assessment of hip osteoarthritis progression: impact of reading procedures for longitudinal studies, **422**
Aumaitre O *see* André M *et al*
Auzary C *et al*. Pregnancy in patients with Wegener's granulomatosis: report of five cases in three women, **800**
Avouac B *see* Kaufman JM *et al*
Azouz EM *see* Scuccimarri R *et al*

Baandrup U *see* Ellingsen T *et al*
Backhaus M *see* Bollow M *et al*
Baeten D *see* Demetter P *et al*
see van den Bosch F *et al*
Baeten D *et al*. Comparative study of the synovial histology in rheumatoid arthritis, spondyloarthropathy, and osteoarthritis: influence of disease duration and activity, **945**
Baker PN *see* Crocker IP *et al*
Balint PV, Sturrock RD. Inflamed retrocalcaneal bursa and Achilles tendonitis in psoriatic arthritis demonstrated by ultrasonography: *now and then*, **931**
Bancher C *see* Weiler V *et al*
Bandoh S *et al*. Sequential changes of KL-6 in sera of patients with interstitial pneumonia associated with polymyositis/dermatomyositis, **257**
Bannwarth B *see* Pendleton A *et al*
Barbarulo D *see* Migliaresi S *et al*
Bardin T *see* van de Putte L *et al*
Bari F *see* Kovács L *et al*
Barneveld A *see* Brama PAJ *et al*
Barnsley L. Epidemiology of whiplash: *matters arising*, **394**
Barrett E *see* Silman A *et al*
Bass DD *see* Sthoeger ZM *et al*
Baud O *see* Aslangul-Castier E *et al*
Bautch JC *et al*. Synovial fluid chondroitin sulphate epitopes 3B3 and 7D4, and glycosaminoglycan in human knee osteoarthritis after exercise, **887**
Beekman B *see* Braat EAM *et al*
see Brama PAJ *et al*
Belch J *see* Ho M *et al*
Bell AL *see* Smyth AE *et al*
see Smyth AE *et al*
Belt EA *see* Lehtinen JT *et al*
Ben-Chetrit E *see* Nir-Paz R *et al*
Bendele AM *see* Davis MW *et al*
Bengtsson A *et al*. No serological indications that systemic lupus erythematosus is linked with exposure to human parvovirus B19, **64**
Benoni C *see* Manthorpe R *et al*
Bernecker P *see* Redlich K *et al*
Berner B *et al*. Increased expression of CD40 ligand (CD154) on CD4+ T cells as a marker of disease activity in rheumatoid arthritis, **190**
Bezemer PD *see* Jansen LMA *et al*
see van der Paardt M *et al*
Bhakta B *see* Pease C *et al*
Bienvenu J *see* Conrozier T *et al*
Bierma-Zeinstra SMA *et al*. Sonography for hip joint effusion in adults with hip pain, **178**
Bijlsma JWJ *see* van Jaarsveld CHM *et al*
see Pendleton A *et al*
Birrell F *et al*. Health impact of pain in the hip region with and without radiographic evidence of osteoarthritis: a study of new attenders to primary care, **857**
Birtane M *see* Çalış M *et al*
Bischof-Delaloye A *see* Varisco PA *et al*
Bjorndal A *see* Hagen KB *et al*
Blaauw AAM *see* van Jaarsveld CHM *et al*
Black CM *see* Stratton RJ *et al*
Blay M *see* Cañete JD *et al*
Bliddal H, Torp-Pedersen S. Use of small amounts of ultrasound guided air for injections: *letter*, **926**
Boers M *see* van Dieten HEM *et al*
see Verhoeven AC *et al*
Bogduk N. Epidemiology of whiplash: *matters arising*, **394**
Bohnen AM *see* Bierma-Zeinstra SMA *et al*
Boki KA *see* Tzioufas AG *et al*
Bollow M *et al*. Quantitative analyses of sacroiliac biopsies in spondyloarthropathies: T cells and macrophages predominate in early and active sacroiliitis— cellularity correlates with the degree of enhancement detected by magnetic resonance imaging, **135**
Bondeson J *see* Foxwell BMJ *et al*
Book reviews Archer C W, Caterson B, Benjamin M, Ralphs J R, *editors.* Biology of the synovial joint, **330**
Armstrong R. Interactive rheumatology tutor. A multimedia guide to clinical rheumatology, **328**
Athanasou NA. Colour atlas of bone, joint and soft tissue pathology, **935**
Gaston JSH, *editor.* Rheumatic diseases: immunological mechanism and prospects for new therapies, **329**
Kammer GM, Tsokos GS, *editors.* Lupus—molecular and cellular pathogenesis, **172**
Kaufman L D, Vaga J. Rheumatic diseases and the environment., **329**
Mallia C, Uitto J. Rheumaderm: current issues in rheumatology and dermatology, **421**
Schewe S. RheumaTutor. A case-based rheumatological training program, **328**
Wallace DJ. The lupus book, **597**
Winkler J D, *editor.* Apoptosis and inflammation, **597**
Borg EJT *see* van Jaarsveld CHM *et al*
Borgia G *see* Migliaresi S *et al*
Bos E *see* Vos K *et al*
Bozkurt B. Activation of cytokines as a mechanism of disease progression in heart failure, **i90 (suppl I)**
Braat EAM *et al*. Urokinase-mediated fibrinolysis in the synovial fluid of rheumatoid arthritis patients may be affected by the inactivation of single chain urokinase type plasminogen activator by thrombin, **315**
Brama PAJ *et al*. Influence of development and joint pathology on stromelysin enzyme activity in equine synovial fluid, **155**
Brandt J *see* Braun J *et al*
Braun J *see* Bollow M *et al*
see Rudwaleit M *et al*
Braun J, Sieper J. Anti-TNFα: a new dimension in the pharmacotherapy of the spondyloarthropathies !?: *leader*, **404**
Braun J *et al*. Enthesitis and ankylosis in spondyloarthropathy: What is the target of the immune response?, **985**
Treatment of spondyloarthropathies with antibodies against tumour necrosis factor α: first clinical and laboratory experiences, **i85 (suppl I)**
Breedveld F *see* Bresnihan B *et al*
see Silman A *et al*
Breedveld FC *see* Furst DE *et al*
see Smolen JS *et al*
see van den Ende CHM *et al*

VOLUME 59 • AUTHOR INDEX

Abadie E *see* Kaufman JM *et al*
Acebes JC *see* Herrero-Beaumont G *et al*
Adami S *see* Kaufman JM *et al*
Aggarwal BB. Tumour necrosis factors receptor associated signalling molecules and their role in activation of apoptosis, JNK and NF-κB, **i6 (suppl I)**
Aho K *see* Heliövaara M *et al*
see Myllykangas-Luosujärvi R *et al*
see Savolainen A *et al*
Akama H *see* Nanke Y *et al*
Akgün K *see* Çalış M *et al*
Akkuş S *see* Melikoğlu M *et al*
Alamanos Y *see* Voulgari PV *et al*
Al-Bdour MD *see* Askari A *et al*
Alberty A *see* Xu J-W *et al*
Allen JA *see* Smyth AE *et al*
Almoznino-Sarafian D *see* Elkayam O *et al*
Alpay M, Cassem EH. Diagnosis and treatment of mood disorders in patients with rheumatic disease: *leader*, **2**
Ambrosone L *see* Migliaresi S *et al*
Amor B. What competence does a rheumatologist need?: an international perspective, **580**
Amoura Z *see* Aslangul-Castier E *et al*
Amoura Z *et al*. Familial macrophagic myofasciitis: *letter*, **927**
Anderson P. Post-transcriptional regulation of tumour necrosis factor α production, **i3 (suppl I)**
Andersson U *see* Ulfgren A-K *et al*
André M *et al*. A "missed" cryoglobulin: the importance of in vitro calcium concentration: *letter*, **490**
Aral O *see* Gül A *et al*
Arden N *see* Pendleton A *et al*
Arden NK *see* Price CM *et al*
Arend WP, Guthridge CJ. Biological role of interleukin 1 receptor antagonist isoforms, **i60 (suppl I)**
Arısoy N *see* Melikoğlu M *et al*
Armstrong R, Rasker JJ. http://www.ilar.org A source of information for rheumatologists, allied health professionals, medical students and the general public: *leader*, **241**
Aromaa A *see* Heliövaara M *et al*
Askari A *et al*. Ankylosing spondylitis in north Jordan, **571**
Aslangul-Castier E *et al*. Systemic vasculitis with bilateral perirenal haemorrhage in chronic myelomonocytic leukaemia, **390**
Athanasou NA *see* Itonaga I *et al*
Audran M *see* Kaufman JM *et al*
Auleley G-R *et al*. Radiographic assessment of hip osteoarthritis progression: impact of reading procedures for longitudinal studies, **422**
Aumaitre O *see* André M *et al*
Auzary C *et al*. Pregnancy in patients with Wegener's granulomatosis: report of five cases in three women, **800**
Avouac B *see* Kaufman JM *et al*
Azouz EM *see* Scuccimarri R *et al*

Baandrup U *see* Ellingsen T *et al*
Backhaus M *see* Bollow M *et al*
Baeten D *see* Demetter P *et al*
see van den Bosch F *et al*
Baeten D *et al*. Comparative study of the synovial histology in rheumatoid arthritis, spondyloarthropathy, and osteoarthritis: influence of disease duration and activity, **945**
Baker PN *see* Crocker IP *et al*
Balint PV, Sturrock RD. Inflamed retrocalcaneal bursa and Achilles tendonitis in psoriatic arthritis demonstrated by ultrasonography: *now and then*, **931**
Bancher C *see* Weiler V *et al*
Bandoh S *et al*. Sequential changes of KL-6 in sera of patients with interstitial pneumonia associated with polymyositis/dermatomyositis, **257**
Bannwarth B *see* Pendleton A *et al*
Barbarulo D *see* Migliaresi S *et al*
Bardin T *see* van de Putte L *et al*
Bari F *see* Kovács L *et al*
Barneveld A *see* Brama PAJ *et al*
Barnsley L. Epidemiology of whiplash: *matters arising*, **394**
Barrett E *see* Silman A *et al*
Bass DD *see* Sthoeger ZM *et al*
Baud O *see* Aslangul-Castier E *et al*
Bautch JC *et al*. Synovial fluid chondroitin sulphate epitopes 3B3 and 7D4, and glycosaminoglycan in human knee osteoarthritis after exercise, **887**
Beekman B *see* Braat EAM *et al*
see Brama PAJ *et al*
Belch J *see* Ho M *et al*
Bell AL *see* Smyth AE *et al*
see Smyth AE *et al*
Belt EA *see* Lehtinen JT *et al*
Ben-Chetrit E *see* Nir-Paz R *et al*
Bendele AM *see* Davis MW *et al*
Bengtsson A *et al*. No serological indications that systemic lupus erythematosus is linked with exposure to human parvovirus B19, **64**
Benoni C *see* Manthorpe R *et al*
Bernecker P *see* Redlich K *et al*
Berner B *et al*. Increased expression of CD40 ligand (CD154) on CD4+ T cells as a marker of disease activity in rheumatoid arthritis, **190**
Bezemer PD *see* Jansen LMA *et al*
see van der Paardt M *et al*
Bhakta B *see* Pease C *et al*
Bienvenu J *see* Conrozier T *et al*
Bierma-Zeinstra SMA *et al*. Sonography for hip joint effusion in adults with hip pain, **178**
Bijlsma JWJ *see* van Jaarsveld CHM *et al*
see Pendleton A *et al*
Birrell F *et al*. Health impact of pain in the hip region with and without radiographic evidence of osteoarthritis: a study of new attenders to primary care, **857**
Birtane M *see* Çalış M *et al*
Bischof-Delaloye A *see* Varisco PA *et al*
Bjorndal A *see* Hagen KB *et al*
Blaauw AAM *see* van Jaarsveld CHM *et al*
Black CM *see* Stratton RJ *et al*
Blay M *see* Cañete JD *et al*
Bliddal H, Torp-Pedersen S. Use of small amounts of ultrasound guided air for injections: *letter*, **926**
Boers M *see* van Dieten HEM *et al*
see Verhoeven AC *et al*
Bogduk N. Epidemiology of whiplash: *matters arising*, **394**
Bohnen AM *see* Bierma-Zeinstra SMA *et al*
Boki KA *see* Tzioufas AG *et al*
Bollow M *et al*. Quantitative analyses of sacroiliac biopsies in spondyloarthropathies: T cells and macrophages predominate in early and active sacroiliitis— cellularity correlates with the degree of enhancement detected by magnetic resonance imaging, **135**
Bondeson J *see* Foxwell BMJ *et al*
Book reviews Archer C W, Caterson B, Benjamin M, Ralphs J R, *editors.* Biology of the synovial joint, **330**
Armstrong R. Interactive rheumatology tutor. A multimedia guide to clinical rheumatology, **328**
Athanasou NA. Colour atlas of bone, joint and soft tissue pathology, **935**
Gaston JSH, *editor.* Rheumatic diseases: immunological mechanism and prospects for new therapies, **329**
Kammer GM, Tsokos GS, *editors.* Lupus—molecular and cellular pathogenesis, **172**
Kaufman L D, Vaga J. Rheumatic diseases and the environment., **329**
Mallia C, Uitto J. Rheumaderm: current issues in rheumatology and dermatology, **421**
Schewe S. RheumaTutor. A case-based rheumatological training program, **328**
Wallace DJ. The lupus book, **597**
Winkler J D, *editor.* Apoptosis and inflammation, **597**
Borg EJT *see* van Jaarsveld CHM *et al*
Borgia G *see* Migliaresi S *et al*
Bos E *see* Vos K *et al*
Bozkurt B. Activation of cytokines as a mechanism of disease progression in heart failure, **i90 (suppl I)**
Braat EAM *et al*. Urokinase-mediated fibrinolysis in the synovial fluid of rheumatoid arthritis patients may be affected by the inactivation of single chain urokinase type plasminogen activator by thrombin, **315**
Brama PAJ *et al*. Influence of development and joint pathology on stromelysin enzyme activity in equine synovial fluid, **155**
Brandt J *see* Braun J *et al*
Braun J *see* Bollow M *et al*
see Rudwaleit M *et al*
Braun J, Sieper J. Anti-TNFα: a new dimension in the pharmacotherapy of the spondyloarthropathies !?: *leader*, **404**
Braun J *et al*. Enthesitis and ankylosis in spondyloarthropathy: What is the target of the immune response?, **985**
Treatment of spondyloarthropathies with antibodies against tumour necrosis factor α: first clinical and laboratory experiences, **i85 (suppl I)**
Breedveld F *see* Bresnihan B *et al*
see Silman A *et al*
Breedveld FC *see* Furst DE *et al*
see Smolen JS *et al*
see van den Ende CHM *et al*

Breedveld FC, Dayer J-M. Leflunomide: mode of action in the treatment of rheumatoid arthritis: *review*, **841**
Brennan F *see* Foxwell BMJ *et al*
Brennan FM *see* Feldmann M *et al*
Brenner H *see* Erb A *et al*
Brent LH *see* Kovacs B *et al*
Bresciani A *see* Migliaresi S *et al*
Bresnihan B *see* Silman A *et al*
Bresnihan B *et al*. Synovial biopsy in arthritis research: five years of concerted European collaboration: *review*, **506**
Bricaire F *see* Aslangul-Castier E *et al*
Brink I *see* Weiner SM *et al*
Brophy S *see* Brown MA *et al*
Brown MA *et al*. Recurrence risk modelling of the genetic susceptibility to ankylosing spondylitis, **883**
Bruce IN *see* Smyth AE *et al*
Bruckner FE *see* Kiely PDW *et al*
Brunner N *see* Slot O *et al*
Brus HLM *see* van Jaarsveld CHM *et al*
Bruyn GAW *see* Hoogkamp-Korstanje JAA *et al*
Buchner DM *see* Lamb SE *et al*
Buckland-Wright JC *et al*. Early radiographic features in patients with anterior cruciate ligament rupture, **641**
Burmester G *see* van de Putte L *et al*
Burmester GR *see* Furst DE *et al*
see Smolen JS *et al*
Burmester G-R *see* Steinbach F *et al*
Busso N *see* Dudler J *et al*
see Varisco PA *et al*
Buyükaşık Y *see* Haznedaroğlu Ş *et al*

Çalış H *see* Çalış M *et al*
Çalış M *et al*. Diagnostic values of clinical diagnostic tests in subacromial impingement syndrome, **44**
Calin A *see* Brown MA *et al*
Calvo G *see* Kaufman JM *et al*
Campdelacreu J *see* Font J *et al*
Cañete JD *et al*. Differential Th1/Th2 cytokine patterns in chronic arthritis: interferon γ is highly expressed in synovium of rheumatoid arthritis compared with seronegative spondyloarthropathies, **263**
Cangianiello S *see* Giunta A *et al*
Capell HA *see* Crilly A *et al*
see Hamilton JD *et al*
Capell HA *et al*. Rheumatoid arthritis, poverty and smoking: *letter*, **396**
Carlier M-C *see* Conrozier T *et al*
Caspi D *see* Elkayam O *et al*
Cassar-Pullicino VN *see* Quek ST *et al*
Cassem EH *see* Alpay M and Cassem EH
Catravas J *see* Walsh DA *et al*
Cervera R *see* Font J *et al*
see Garcia-Carrasco M *et al*
Chajek-Shaul T *see* Nir-Paz R *et al*
Chan FK-M. The pre-ligand binding assembly domain: a potential target of inhibition of tumour necrosis factor receptor function, **i50 (suppl I)**
Chang C-Y *see* Ho K-J *et al*
Chard JA *et al*. Epidemiology of research into interventions for the treatment of osteoarthritis of the knee joint: *review*, **414**
Charlotte F *see* Aslangul-Castier E *et al*
Chen P-Q *see* Ho K-J *et al*
Cheng TP *see* O'Shea JJ *et al*
Chihara K *see* Shimizu K *et al*
Chorus AMJ *et al*. Labour force participation among patients with rheumatoid arthritis, **549**
Christou K *see* Voulgari PV *et al*
Chu Q *see* Bautch JC *et al*
Ciancio G *see* Olivieri I *et al*
Clark CLI *see* Fox RA *et al*
Clark DI *et al*. Physiotherapy for anterior knee pain: a randomised controlled trial, **700**
Clayton MK *see* Bautch JC *et al*
Cluzeau F *see* Pendleton A *et al*
Cockerill W *et al*. Does location of vertebral deformity within the spine influence back pain and disability?, **368**
Coggon D *see* Palmer K *et al*
Coghlan JG *see* Stratton RJ *et al*
Colson F *see* Conrozier T *et al*
Combe B *see* Smolen JS *et al*
Conrad K *see* Takeuchi F *et al*
Conrozier T *et al*. Serum levels of YKL-40 and C reactive protein in patients with hip osteoarthritis and healthy subjects: a cross sectional study, **828**
Cooper C *see* Birrell F *et al*
see Cockerill W *et al*
see Palmer K *et al*
see Pendleton A *et al*
Coppotelli L *see* di Franco M *et al*
Costedoat N *see* Amoura Z *et al*
Coulson L *see* Clark DI *et al*
Courtois H *see* Marie I *et al*
Cramer T *see* Pfander D *et al*
Crawley E *see* Dean GS *et al*
Crilly A *et al*. Predictive value of interleukin 1 gene polymorphisms for surgery, **695**
Crocker IP *et al*. Neutrophil function in pregnancy and rheumatoid arthritis, **555**
Crofford JJ *see* Furst DE *et al*
Croft P *see* Birrell F *et al*
Crone M *see* Smyth AE *et al*
Cutolo M, Straub RH. Recent aspects of gonadal hormone and neurotransmitter interactions with synovial and immune cells: implications in rheumatoid arthritis: *leader*, **657**
Cuvelier C *see* Baeten D *et al*
Cuvelier CA *see* Demetter P *et al*

Dababneh A *see* Gonzalez-Gay MA *et al*
Dacre JE *see* Fox RA *et al*
Dacre JE, Fox RA. How should we be teaching our undergraduates?, **662**
Dafni UG *see* Vlachoyiannopoulos PG *et al*
Daghir A *see* Kiely PDW *et al*
Dave B *see* Buckland-Wright JC *et al*
Davidovitz Y *see* Elkayam O *et al*
Davidson BKS *et al*. Ten year follow up of pulmonary function in patients with primary Sjögren's syndrome, **709**
Davie MWJ *see* Evans SF and Davie MWJ
Davis MW *et al*. Treatment of rheumatoid arthritis with PEGylated recombinant human soluble tumour necrosis factor receptor type I: a clinical update, **i41 (suppl I)**
Dayer J-M *see* Breedveld FC and Dayer J-M
Dean GS *et al*. Cytokines and systemic lupus erythematosus, **243**
Debard AL *see* Conrozier T *et al*
Degos L *see* Aslangul-Castier E *et al*
Dehoratius RJ *see* Kovacs B *et al*
de Keyser F *see* Baeten D *et al*
see Demetter P *et al*
see van den Bosch F *et al*
de La Red G *see* Garcia-Carrasco M *et al*
Deleuran B *see* Ellingsen T *et al*
de Luca A *see* Giunta A *et al*
Demetter P *see* Baeten D *et al*
Demetter P *et al*. Subclinical gut inflammation in spondyloarthropathy patients is associated with upregulation of the E-cadherin/catenin complex, **211**
de Mug AW *see* van den Ende CHM *et al*
Deodhar AA, Woolf AD. Fragile without fractures, **166**
de Sevilla TF *see* Escudero FJ *et al*
Despaux J *see* Toussirot E *et al*
Dessein PH *et al*. Beneficial effects of weight loss associated with moderate calorie/carbohydrate restriction, and increased proportional intake of protein and unsaturated fat on serum urate and lipoprotein levels in gout: a pilot study, **539**
de Stefano R *see* Selvi E *et al*
Deuerling D *see* Pfander D *et al*
de Vet HCW *see* Heuft-Dorenbosch LLJ *et al*
de Vlam K *see* Vanneuville B *et al*
Devogelaer JP *see* Kaufman JM *et al*
de Vos M *see* Demetter P *et al*
Dieppe P *see* Kessler S *et al*
Dieppe P. An evidence based EULAR meeting?: *letter*, **319**
Dieppe PA *see* Chard JA *et al*
see Pendleton A *et al*
see Sharif M *et al*
Dietmaier W *see* Kullmann F *et al*
di Franco M *et al*. Diastolic function abnormalities in rheumatoid arthritis. Evaluation by echo Doppler transmitral flow and pulmonary venous flow: relation with duration of disease, **227**
Dijkmans BAC *see* Jansen LMA *et al*
see Kvien TK *et al*
see van den Ende CHM *et al*
see van der Paardt M *et al*
see van Dieten HEM *et al*
Dinarello CA. Targeting interleukin 18 with interleukin 18 binding protein, **i17 (suppl I)**
Dinç A. Non-periodic leg pain in patients with familial Mediterranean fever: *letter*, **400**
Dobashi H *see* Bandoh S *et al*
Doherty M *see* Clark DI *et al*
see Hopkinson ND *et al*
see Nagaosa Y *et al*
see Pendleton A *et al*
see Woolf AD and Doherty M
Doherty M, Lanyon P. Rheumatology: What should all doctors know?, **409**
Doherty M, van de Putte LBA. COPE guidelines on good publication practice: *leader*, **403**
Doi T *see* Nishiya K *et al*
Doita M *see* Shimizu K *et al*
Doria A *see* Ghirardello A *et al*
Dougados M *see* Auleley G-R *et al*
see Pendleton A *et al*
Downing N *see* Clark DI *et al*

Drosos AA *see* Voulgari PV *et al*
Duchamp O *see* Maillefert JF *et al*
Dudler J *see* Pease C *et al*
Dudler J *et al*. Effect of interleukin 17 on proteoglycan degradation in murine knee joints, **529**
Duffy CM *see* Scuccimarri R *et al*
Duffy KNW *see* Scuccimarri R *et al*
Dundar SV *see* Haznedaroğlu Ş *et al*
Durante E *see* Olivieri I *et al*

East of Scotland Systemic Sclerosis Study Group *see* Ho M *et al*
Eastmond C *see* Ho M *et al*
Edmonds J *see* Lee CS *et al*
Edwards A *see* Paiva ES *et al*
Edwards III CK *see* Davis MW *et al*
Elewaut D *see* Demetter P *et al*
Elkayam O *et al*. Acute myocardial infarction associated with high dose intravenous immunoglobulin infusion for autoimmune disorders. A study of four cases, **77**
From wheels to feet: a dramatic response of severe chronic psoriatic arthritis to etanercept: *letter*, **839**
Elling H *see* Ellingsen T *et al*
Elling P *see* Ellingsen T *et al*
Ellingsen T *et al*. Monocyte chemoattractant protein 1 (MCP-1) in temporal arteritis and polymyalgia rheumatica, **775**
Ellis L *et al*. Activation of the transcription factor NF-κB in the rat air pouch model of inflammation, **303**
Elmstähl S *see* Bengtsson A *et al*
Elson CJ *see* Sharif M *et al*
Emery P *see* Bresnihan B *et al*
see Furst DE *et al*
see Smith M
see Smolen JS *et al*
Emmrich F *see* Stahl H-D *et al*
Engel P *see* Garcia-Carrasco M *et al*
ERAS Study Group. Socioeconomic deprivation and rheumatoid disease: What lessons for the health service?, **794**
Erb A *et al*. Hormone replacement therapy and patterns of osteoarthritis: baseline data from the Ulm Osteoarthritis Study, **105**
Ergas D *see* Sthoeger ZM *et al*
Escudero FJ *et al*. Rubella infection in adult onset Still's disease: *letter*, **493**
Evans SF, Davie MWJ. Vertebral fractures and bone mineral density in idiopathic, secondary and corticosteroid associated osteoporosis in men, **269**

Falcó V *see* Escudero FJ *et al*
Falch JA *see* Kvien TK *et al*
Farewell VT *see* Mok MY *et al*
Farrés J *see* Cañete JD *et al*
Fassier F *see* Scuccimarri R *et al*
Fautrel B *see* Vignes S *et al*
Favret H *see* Conrozier T *et al*
Feige U *see* Davis MW *et al*
Feldmann M *see* Foxwell BMJ *et al*
see Furst DE *et al*
see Williams RO *et al*
Feldmann M *et al*. Future prospects for anti-cytokine treatment, **i119 (suppl I)**
Ferrara GB *see* Olivieri I *et al*
Ferrari R *see* Radanov BP *et al*
Ferrucci LM *see* Lamb SE *et al*
Fischer MB *see* Weiler V *et al*
Fischer T *see* Bollow M *et al*
Fishbain DA. Psychosocial risks for low back pain: are these related to work?: *matters arising*, **319**
Fiter J *see* Nolla JM *et al*
Fitzgerald R *see* Serhan E *et al*
Fletcher J *see* Crocker IP *et al*
Fogel M *see* Sthoeger ZM *et al*
Font J *see* Garcia-Carrasco M *et al*
Font J *et al*. Splenectomy for refractory Evans' syndrome associated with antiphospholipid antibodies: report of two cases, **920**
Fox RA *see* Dacre JE and Fox RA
Fox RA *et al*. Impact on medical students of incorporating GALS screen teaching into the medical school curriculum, **668**
Foxwell BMJ *et al*. Adenoviral transgene delivery provides an approach to identifying important molecular processes in inflammation: evidence for heterogeneity in the requirement for NFκB in tumour necrosis factor production, **i54 (suppl I)**
François A *see* Marie I *et al*
Frank K-H *see* Takeuchi F *et al*
Frati E *see* Selvi E *et al*
Fresko İ *see* Melikoğlu M *et al*
Fried LP *see* Lamb SE *et al*
Fuchs J *see* Kessler S *et al*
Fuchs V *see* Kaufman JM *et al*
Fujikawa K *see* Kobayashi T *et al*
see Yoshihara Y *et al*
Fujita J *see* Bandoh S *et al*
Funauchi M *et al*. A case of rheumatoid meningitis positive for perinuclear antineutrophil cytoplasmic antibody: *letter*, **1001**
Furst DE *et al*. Updated consensus statement on tumour necrosis factor blocking agents for the treatment of rheumatoid arthritis (May 2000), **i1 (suppl I)**
Fussel M *see* Takeuchi F *et al*

Gadina M *see* O'Shea JJ *et al*
Gambari PF *see* Ghirardello A *et al*
see Nava A *et al*
García-Carrasco M *see* Font J *et al*
García-Carrasco M *et al*. Circulating concentrations of soluble L-selectin (CD62L) in patients with primary Sjögren's syndrome, **297**
Garcia-Porrua C *see* Gonzalez-Gay MA *et al*
Gaudiano C *see* Olivieri I *et al*
Gay S *see* Kullmann F *et al*
Geltner D *see* Sthoeger ZM *et al*
Genne P *see* Maillefert JF *et al*
Gerli R *see* Ghirardello A *et al*
Gerster J-C *see* Pease C *et al*
Ghirardello A *et al*. Anti-ribosomal P protein antibodies detected by immunoblotting in patients with connective tissue diseases: their specificity for SLE and association with IgG anticardiolipin antibodies, **975**
Gilboe I-M *et al*. Bone mineral density in systemic lupus erythematosus: comparison with rheumatoid arthritis and healthy controls, **110**
Giles I, Isenberg D. Fatigue in primary Sjögren's syndrome: Is there a link with the fibromyalgia syndrome?, **875**
Gilston V *see* Ellis L *et al*
Ginai-Karamat AZ *see* Bierma-Zeinstra SMA *et al*
Giraudeau B *see* Auleley G-R *et al*
Giunta A *et al*. Right ventricular diastolic abnormalities in systemic sclerosis. Relation to left ventricular involvement and pulmonary hypertension, **94**
Glaser JH. Coffee consumption, RF, and the risk of RA: *matters arising*, **1000**
Godeau P *see* Amoura Z *et al*
see Vignes S *et al*
Goldring SR. The final pathogenetic steps in focal bone erosions in rheumatoid arthritis, **i72 (suppl I)**
Gómez A *see* Cañete JD *et al*
Gómez-Vaquero C *see* Nolla JM *et al*
Gonzalez-Gay MA *et al*. HLA-DRB104 may be a marker of severity in giant cell arteritis: *letter*, **574**
Gordon M-M *see* Hamilton JD *et al*
Gøtzsche PC. Do patients with osteoarthritis get the clinical research they need?: *leader*, **407**
Grampp S *see* Redlich K *et al*
Griffiths ID *see* Davidson BKS *et al*
Grolms M *see* Rudwaleit M *et al*
Gröndal L *see* Ulfgren A-K *et al*
Gul A *et al*. Familial aggregation of Behçet's disease in Turkey, **622**
Gunther KP *see* Kessler S *et al*
Gunther K-P *see* Erb A *et al*
see Pendleton A *et al*
Gupta G *see* Gupta MN *et al*
Gupta MN *et al*. Cutaneous leucocytoclastic vasculitis caused by cyclosporin A (Sandimmun): *letter*, **319**
Guralnik JM *see* Lamb SE *et al*
Gussin HAE *et al*. Effect of circulating immune complexes on the binding of rheumatoid factor to histones, **351**
Gutfleisch J *see* Weiner SM *et al*
Guthridge CJ *see* Arend WP and Guthridge CJ

Haanen HCM *see* van Jaarsveld CHM *et al*
Hagen KB *et al*. A population study of factors associated with general practitioner consultation for non-inflammatory musculoskeletal pain, **788**
Hägglund G *see* Ingvarsson T *et al*
Haibel H *see* Braun J *et al*
Hajeer AH *see* Gonzalez-Gay MA *et al*
Hakala M *see* Kauranen K *et al*
see Laivoranta-Nyman S *et al*
see Myllykangas-Luosujärvi R *et al*
Hakola M *see* Yli-Kerttula T *et al*
Halldórsdóttir HD *et al*. A prospective study on the incidence of rheumatoid arthritis among people with persistent increase of rheumatoid factor, **149**
Halse JI *see* Kvien TK *et al*
Hamada K *see* Funauchi M *et al*
Hamburger J *see* Mason GI *et al*
Hamilton JD *et al*. Improved medical and surgical management of cervical spine disease in patients with rheumatoid arthritis over 10 years, **434**
Hamm B *see* Bollow M *et al*
Hampson R *see* Capell HA *et al*
Hannonen P *see* Laivoranta-Nyman S *et al*
see Sokka T and Hannonen P
Hara M *see* Nanke Y *et al*
Harmand M-F *see* Héraud F *et al*

Harris CPD *see* Jones SM *et al*
Harrison B *see* Silman A *et al*
Harrison B *et al*. Diagnostic evaluation of classification criteria for RA and reactive arthritis: *matters arising*, **397**
Harrison-Hansley E *see* Robinson DE *et al*
Hashimoto K *see* Nishiya K *et al*
Hasin Y *see* Nir-Paz R *et al*
Hassan B *see* Nagaosa Y *et al*
Hassin D *see* Nir-Paz R *et al*
Haugeberg G *see* Gilboe I-M *et al*
see Kvien TK *et al*
Hauselmann HJ *see* Pendleton A *et al*
Hayakawa T *see* Yoshihara Y *et al*
Hazenberg BPC, van Rijswijk MH. Where has secondary amyloid gone?: *leader*, **577**
Hazes JMW *see* Tijhuis GJ *et al*
Haznedaroğlu Ş *et al*. Selectin adhesion molecules in Behçet's disease, **61**
Haznedaroğlu İC *see* Haznedaroğlu Ş *et al*
Heliövaara M *et al*. Coffee consumption, RF, and the risk of RA: *matters arising*, **1000**
Coffee consumption, rheumatoid factor, and the risk of rheumatoid arthritis, **631**
Helsen MMA *see* Joosten LAB *et al*
Heng L *see* Kreutz G and Heng L
Hengstman GJD *et al*. The relative prevalence of dermatomyositis and polymyositis in Europe exhibits a latitudinal gradient, **141**
Henke F *see* Steinbach F *et al*
Héraud A *see* Héraud F *et al*
Héraud F *et al*. Apoptosis in normal and osteoarthritic human articular cartilage, **959**
Hernigou P, Lambotte JC. Bilateral hip osteonecrosis: influence of hip size on outcome, **817**
Herrero-Beaumont G *see* Pendleton A *et al*
Herrero-Beaumont G *et al*. Pulmonary infiltrates and abdominal colic pain in a patient with a connective tissue disorder, **15**
Heuft-Dorenbosch LLJ *et al*. Yttrium radiosynoviorthesis in the treatment of knee arthritis in rheumatoid arthritis: a systematic review, **583**
Heurkens AHM *see* van Jaarsveld CHM *et al*
Hiepe F *see* Steinbach F *et al*
Hirota Y *see* Uchida T *et al*
Hisakawa N *see* Nishiya K *et al*
Ho K-J *et al*. The oxidative metabolism of circulating phagocytes in ankylosing spondylitis: determination by whole blood chemiluminescence, **338**
Ho M *et al*. Macrovascular disease and systemic sclerosis, **39**
Hochberg MC *see* Lamb SE *et al*
Hofman DM *see* van Jaarsveld CHM *et al*
Hojo S *see* Bandoh S *et al*
Hoogkamp-Korstanje JAA *et al*. Ciprofloxacin *v* placebo for treatment of *Yersinia enterocolitica* triggered reactive arthritis, **914**
Hopkinson ND *et al*. Racial group, socioeconomic status, and the development of persistent proteinuria in systemic lupus erythematosus, **116**
Hosie G *see* Birrell F *et al*
see Hosie J *et al*
Hosie GAC. Teaching rheumatology in primary care, **500**
Hosie J *et al*. Teaching rheumatology in primary care: *matters arising*, **1000**
Hosokawa T *see* Nishiya K *et al*
Hubner B *see* Stahl H-D *et al*
Hulsemann JL *see* Harrison B *et al*
Hummel KM *see* Berner B *et al*
Husby G *see* Gilboe I-M *et al*
Hutchinson D, Moots RJ. Rheumatoid arthritis, poverty and smoking: *matters arising*, **396**
Huygen ACJ *et al*. Psychological, behavioural, and social adjustment in children and adolescents with juvenile chronic arthritis, **276**

Ikoma S *see* Funauchi M *et al*
Ilonen J *see* Laivoranta-Nyman S *et al*
Impivaara O *see* Heliövaara M *et al*
Inanç M *see* Gül A *et al*
Ingelmo M *see* Font J *et al*
see García-Carrasco M *et al*
Ingvarsson T *et al*. Assessment of primary hip osteoarthritis: comparison of radiographic methods using colon radiographs, **650**
Inokuma S *see* Kono H *et al*
Inokuma S *et al*. Immunoglobulin and lymphocyte decrease concurrent with adverse reactions induced by methotrexate for RA: *letter*, **495**
Ioannidis JPA *see* Voulgarelis M *et al*
Isenberg D *see* Giles I and Isenberg D
Isenberg DA *see* Dean GS *et al*
see McDonagh JE and Isenberg DA
see Mok MY and Isenberg DA
see Mok MY *et al*
see Stoll T *et al*
Ismail AA *see* Cockerill W *et al*

Itonaga I *et al*. Effect of osteoprotegerin and osteoprotegerin ligand on osteoclast formation by arthroplasty membrane derived macrophages, **26**

Jacobs JWG *see* van Jaarsveld CHM *et al*
Jacobsson L *see* Manthorpe R *et al*
Jansen LMA *et al*. Predictors of functional status in patients with early rheumatoid arthritis, **223**
Jansen SJT *see* Tijhuis GJ *et al*
Janssens A *see* Vanneuville B *et al*
Jassim I *see* Serhan E *et al*
Jawad ASM. Teaching rheumatology in primary care: *matters arising*, **1000**
Jenkinson C *see* Hopkinson ND *et al*
Jensen KE *see* Klarlund M *et al*
Jie AFH *see* Braat EAM *et al*
Jiménez S *see* Font J *et al*
Joffe BI *see* Dessein PH *et al*
Johnell O *see* Kaufman JM *et al*
see Ulfgren A-K *et al*
Johnson KA *see* Bautch JC *et al*
Johnston RA *see* Hamilton JD *et al*
Jolobe OMP. Incidence of RA in people with persistently raised RF: *matters arising*, **654**
Jones SM *et al*. Lipoproteins and their subfractions in psoriatic arthritis: identification of an atherogenic profile with active joint disease, **904**
Jónsson T *see* Halldórsdóttir HD *et al*
Joosten LAB *et al*. Blockade of endogenous interleukin 12 results in suppression of murine streptococcal cell wall arthritis by enhancement of interleukin 10 and interleukin 1Ra, **196**
Justen H-P *see* Kullmann F *et al*

Kaarela K *see* Lehtinen JT *et al*
Kainberger F *see* Redlich K *et al*
Kaipiainen-Seppänen O *see* Savolainen A *et al*
Kaklamanis PM *see* Pendleton A *et al*
Kalden JR *see* Furst DE *et al*
see Smolen JS *et al*
Kallenberg CGM, Tervaert JWC. What is new in systemic vasculitis?, **924**
Kamatani N *see* Nanke Y *et al*
Kanamaru A *see* Funauchi M *et al*
Karaaslan Y *see* Haznedaroğlu Ş *et al*
Karacan I *see* Çalış M *et al*
Kasapçopur Ö *see* Melikoğlu M *et al*
Kaufman JM *et al*. Background for studies on the treatment of male osteoporosis: state of the art, **765**
Kauppi MJ *see* Lehtinen JT *et al*
Kauranen K *et al*. Motor performance of the hand in patients with rheumatoid arthritis, **812**
Kautiainen H *see* Myllykangas-Luosujärvi R *et al*
Kautiainen HJ *see* Lehtinen JT *et al*
Kavanaugh AF *see* Furst DE *et al*
Kawasaki H *see* Shimizu K *et al*
Kellingray S *see* Palmer K *et al*
Kelly CA *see* Davidson BKS *et al*
Kempeni J. Update on D2E7: a fully human anti-tumour necrosis factor α monoclonal antibody, **i44 (suppl I)**
Kéri Z *see* Kovács L *et al*
Kerr JR. Pathogenesis of human parvovirus B19 in rheumatic disease: *review*, **672**
Kessler S *et al*. Assessing the prevalence of hand osteoarthritis in epidemiological studies. The reliability of a radiological hand scale, **289**
Keystone EC *see* Furst DE *et al*
Khademi M *see* Ulfgren A-K *et al*
Khan MA *see* Braun J *et al*
Kidd BL *see* Ellis L *et al*
Kiely PDW *et al*. Serum skeletal troponin I in inflammatory muscle disease: relation to creatine kinase, CKMB and cardiac troponin I: *letter*, **750**
Kiener HP *see* Redlich K *et al*
Kinoshita K *see* Funauchi M *et al*
Kirazlı S *see* Haznedaroğlu Ş *et al*
Kirkham B *see* Lee CS *et al*
Kirner A *see* Kullmann F *et al*
Kirtava Z *see* Manthorpe R *et al*
Kirwan J *see* Shepstone L *et al*
Kirwan JR *see* Sharif M *et al*
Kishimoto T *see* Nishimoto N *et al*
Klaghofer R *see* Stoll T *et al*
Klareskog L *see* Bresnihan B *et al*
see Silman A *et al*
see Smolen JS *et al*
see Ulfgren A-K *et al*
Klareskog LG *see* Furst DE *et al*
Klarlund M *et al*. Magnetic resonance imaging, radiography, and scintigraphy of the finger joints: one year follow up of patients with early arthritis, **521**
Klein R *see* Weiner SM *et al*
Knekt P *see* Heliövaara M *et al*

see Heliövaara M *et al*
Koarada S *see* Ushiyama O *et al*
Kobata T *see* Masuko-Hongo K *et al*
Kobayashi T *et al*. Procollagen IIC-peptide as a marker for assessing mechanical risk factors of knee osteoarthritis: effect of obesity and varus alignment, **982**
Koch AE. The role of angiogenesis in rheumatoid arthritis: recent developments, **i65 (suppl I)**
Kohler S *see* Braun J *et al*
Kohno N *see* Bandoh S *et al*
Kokori SIG *see* Voulgarelis M *et al*
Koniçe M *see* Gül A *et al*
Kono H *see* Inokuma S *et al*
Kono H *et al*. Pneumomediastinum in dermatomyositis: association with cutaneous vasculopathy, **372**
Konttinen YT *see* Xu J-W *et al*
Korkmaz C *see* Melikoğlu M *et al*
Korpela M *see* Yli-Kerttula T *et al*
Korthals-de Bos IBC *see* van Dieten HEM *et al*
Koşar A *see* Haznedaroğlu Ş *et al*
Kotake S *see* Nanke Y *et al*
Kotaniemi K *see* Savolainen A *et al*
Kovács A *see* Kovács L *et al*
Kovacs B *et al*. Transverse myelopathy in systemic lupus erythematosus: an analysis of 14 cases and review of the literature, **120**
Kovács L *et al*. Impaired microvascular response to cholinergic stimuli in primary Sjögren's syndrome, **48**
Kraan MC *see* Stahl H-D *et al*
Krause B *see* Steinbach F *et al*
Kreutz G *see* Kaufman JM *et al*
Kreutz G, Heng L. Which post-marketing database and studies does EMEA require, **i36 (suppl I)**
Kroot EJA *et al*. No increased mortality in patients with rheumatoid arthritis: up to 10 years of follow up from disease onset, **954**
Kruithof E *see* Baeten D *et al*
see van den Bosch F *et al*
Kruize AA *see* van Jaarsveld CHM *et al*
Kudlacek S *see* Redlich K *et al*
Kuis W *see* Huygen ACJ *et al*
Kullmann F *et al*. Microsatellite analysis in rheumatoid arthritis synovial fibroblasts, **386**
Kurasawa K *see* Miyashita Y *et al*
Kurata N *see* Bandoh S *et al*
Kurokawa M *see* Masuko-Hongo K *et al*
Kvien TK *see* Gilboe I-M *et al*
see Hagen KB *et al*
Kvien TK *et al*. Data driven attempt to create a clinical algorithm for identification of women with rheumatoid arthritis at high risk of osteoporosis, **805**
Kyriaki D *see* Voulgarelis M *et al*

Labbadia G *see* di Franco M *et al*
Lafferty TL *see* Kovacs B *et al*
Laivoranta-Nyman S *et al*. Immunogenetic differencies between patients with familial and non-familial rheumatoid arthritis, **173**
Lamb SE *et al*. Factors that modify the association between knee pain and mobility limitation in older women: the Women's Health and Aging Study, **331**
Lambotte JC *see* Hernigou P and Lambotte JC
Laméris JS *see* Bierma-Zeinstra SMA *et al*
Lane SE, Merry P. Intra-articular corticosteroids in septic arthritis: beneficial or barmy?: *matters arising*, **240**
Lanyon P *see* Doherty M and Lanyon P
see Nagaosa Y *et al*
Larsson Å *see* Manthorpe R *et al*
Laval SH *see* Brown MA *et al*
Leblond V *see* Aslangul-Castier E *et al*
le Cessie S *see* van den Ende CHM *et al*
Lee CS *et al*. Synovial membrane p53 protein immunoreactivity in rheumatoid arthritis patients, **143**
Leeb B *see* Pendleton A *et al*
Lehtinen JT *et al*. Relation of glenohumeral and acromioclavicular joint destruction in rheumatoid shoulder. A 15 year follow up study, **158**
Lehto MUK *see* Lehtinen JT *et al*
Leirisalo-Repo M *see* Savolainen A *et al*
Lemmerling M *see* Vanneuville B *et al*
le Moël G *see* Vignes S *et al*
Lems WF *see* Kvien TK *et al*
see van Dieten HEM *et al*
Len O *see* Escudero FJ *et al*
Lequesne M *see* Pendleton A *et al*
le Thi Huong D *see* Auzary C *et al*
Levesque H *see* Marie I *et al*
Li T-F *see* Xu J-W *et al*
Liebert UG *see* Stahl H-D *et al*
Liedholm R *see* Manthorpe R *et al*
Linaker C *see* Palmer K *et al*
Lindberg H *see* Ingvarsson T *et al*
Lindblad S *see* Ulfgren A-K *et al*
Lindgren I *see* Trysberg E *et al*
Lipsky PE *see* Furst DE *et al*
Lloyd J *see* Jones SM *et al*
Lloyd R. How should we manage fibromyalgia?: *matters arising*, **490**
Locht H *et al*. Characterisation of autoantibodies to neutrophil granule constituents among patients with reactive arthritis, rheumatoid arthritis, and ulcerative colitis, **898**
Lohmander LS *see* Ingvarsson T *et al*
Lohmander S *see* Pendleton A *et al*
Lombardi ML *see* Migliaresi S *et al*
Lombari V *see* Migliaresi S *et al*
Lorenzen I *see* Klarlund M *et al*
Lotz M *see* Dudler J *et al*
Luka J *see* Toussirot E *et al*
Lurie Y *see* Sthoeger ZM *et al*
Lu F-J *see* Ho K-J *et al*
Luukkainen R *see* Laivoranta-Nyman S *et al*
see Yli-Kerttula T *et al*
Lynch JA *see* Buckland-Wright JC *et al*

Ma J *see* Xu J-W *et al*
Macaluso DC *see* Paiva ES *et al*
McDonagh JE, Isenberg DA. Development of additional autoimmune diseases in a population of patients with systemic lupus erythematosus, **230**
McDonagh JE *et al*. Bridging the gap in rheumatology, **86**
Macfarlane G *see* Birrell F *et al*
McGill NW *see* Wong PKK *et al*
McGrann S *see* Smyth AE *et al*
McHugh NJ *see* Jones SM *et al*
McInnes IB *see* Hamilton JD *et al*
Madhok R *see* Capell HA *et al*
see Crilly A *et al*
see Hamilton JD *et al*
Madsen JL *see* Klarlund M *et al*
Maetzel H *see* Braun J *et al*
Mahammedi H *see* André M *et al*
Maiden N *see* Capell HA *et al*
see Crilly A *et al*
Maillefert JF *et al*. Effects of cyclosporin at various concentrations on dexamethasone intracellular uptake in multidrug resistant cells, **146**
Maini R *see* Silman A *et al*
Maini RN *see* Feldmann M *et al*
see Furst DE *et al*
see Smolen JS *et al*
see Williams RO *et al*
Maione S *see* Giunta A *et al*
Maisonobe T *see* Amoura Z *et al*
Makula E *see* Kovács L *et al*
Malfait A-M *see* Feldmann M *et al*
Malnick SDH *see* Sthoeger ZM *et al*
Mammarella A *see* di Franco M *et al*
Manganelli S *see* Selvi E *et al*
Manthorpe R *et al*. Lower frequency of focal lip sialadenitis (focus score) in smoking patients. Can tobacco diminish the salivary gland involvement as judged by histological examination and anti-SSA/Ro and anti-SSB/La antibodies in Sjögren's syndrome?, **54**
Manzi S, Wasko MCM. Inflammation-mediated rheumatic diseases and atherosclerosis: *leader*, **321**
Manzo C *see* Migliaresi S *et al*
Marcolongo R *see* Selvi E *et al*
Mareel M *see* Demetter P *et al*
Marie I *et al*. Polymyositis, cranial neuropathy, autoimmune hepatitis, and hepatitis C: *letter*, **839**
Martin SW *see* Davis MW *et al*
Martinez SE *see* Cañete JD *et al*
Masciandaro S *see* Olivieri I *et al*
Mason GI *et al*. Mast cells, extracellular matrix components, TGFβ isoforms and TGFβ receptor expression in labial salivary glands in systemic sclerosis, **183**
Masuko-Hongo K *et al*. Effect of IL15 on T cell clonality in vitro and in the synovial fluid of patients with rheumatoid arthritis, **688**
Mateus M *see* Nagaosa Y *et al*
Mathieu P *see* Conrozier T *et al*
Matsushima K *see* Ellingsen T *et al*
Matthews JB *see* Mason GI *et al*
Matthis C *see* Cockerill W *et al*
Mazieres B *see* Pendleton A *et al*
Mele A *see* Giunta A *et al*
Melikoğlu M *et al*. A survey of phenotype II in familial Mediterranean fever, **910**
Merry P *see* Lane SE and Merry P
see O'Gradaigh D and Merry P
Michel F *see* Wendling D *et al*
Miedema HS *see* Chorus AMJ *et al*
Mielants H *see* Baeten D *et al*
see Demetter P *et al*
see van den Bosch F *et al*
see Vanneuville B *et al*

Migliaresi S *et al.* Increased serum concentrations of soluble HLA-class I antigens in hepatitis C virus related mixed cryoglobulinaemia, **20**
Millard L. Teaching the teachers: ways of improving teaching and identifying areas for development, **760**
Milo R *see* Elkayam O *et al*
Miltenburg AMM *see* Vos K *et al*
Miotla J *see* Feldmann M *et al*
Mitchell J *see* Clark DI *et al*
Miyashita Y *et al.* Y chromosome microchimerism in rheumatic autoimmune disease: *letter*, **655**
Miyazaki Y *see* Uchida T *et al*
Moesker H *see* Hoogkamp-Korstanje JAA *et al*
Mok MY, Isenberg DA. Avascular necrosis of a single vertebral body, an atypical site of disease in a patient with SLE and secondary APLS: *letter*, **494**
Mok MY *et al.* Risk factors for avascular necrosis of bone in patients with systemic lupus erythematosus: Is there a role for antiphospholipid antibodies?, **462**
Mola E-M *see* Pendleton A *et al*
Moots RJ *see* Hutchinson D and Moots RJ
Morisawa T *see* Shimizu K *et al*
Moro L *see* Olivieri I *et al*
Morré SA *see* van der Paardt M *et al*
Morris CJ *see* Ellis L *et al*
Morris JC, Waldmann TA. Advances in interleukin 2 receptor targeted treatment, **i109 (suppl I)**
Morton SJ, Powell RJ. An audit of cyclosporin for systemic lupus erythematosus and related overlap syndromes: limitations of its use, **487**
Moser E *see* Weiner SM *et al*
Möttönen T *see* Laivoranta-Nyman S *et al*
see Yli-Kerttula T *et al*
Moutsopoulos HM *see* Hengstman GJD *et al*
see Tzioufas AG *et al*
see Vlachoyiannopoulos PG *et al*
see Voulgarelis M *et al*
Muir KR *see* Hopkinson ND *et al*
Muller GA *see* Berner B *et al*
Muller-Ladner U *see* Kullmann F *et al*
Muñoz-Gómez J *see* Cañete JD *et al*
Murray DW *see* Itonaga I *et al*
Musca A *see* di Franco M *et al*
Myllykangas-Luosujärvi R *et al.* Reduced incidence of alcohol related deaths in subjects with rheumatoid arthritis, **75**

Nabeta H *see* Takeuchi F *et al*
Nagaosa Y *et al.* Development of a logically devised line drawing atlas for grading of knee osteoarthritis, **587**
Nagasawa K *see* Ushiyama O *et al*
Nakamura H *see* Yoshihara Y *et al*
Nakamura M *see* Shimizu K *et al*
Nakashima M *see* Uchida T *et al*
Nakayama H *see* Inokuma S *et al*
see Kono H *et al*
Nanke Y *et al.* Raised plasma adrenomedullin in patients with systemic sclerosis complicated by pulmonary hypertension: *letter*, **493**
Nava A *et al.* Normal values of laboratory tests in elderly onset psoriatic arthritis: *matters arising*, **239**
Nayar R *see* Raj N *et al*
Nelson DA *et al.* Polymorphism in the vitamin D receptor gene and bone mass in African-American and white mothers and children: a preliminary report, **626**
Newton P *see* Serhan E *et al*
Nilsson P *see* Kaufman JM *et al*
Nir-Paz R *et al.* Unusual presentation of familial Mediterranean fever: role of genetic diagnosis, **836**
Nisbet JA *see* Kiely PDW *et al*
Nishimoto N *et al.* Anti-interleukin 6 receptor antibody treatment in rheumatic disease, **i21 (suppl I)**
Nishioka K *see* Masuko-Hongo K *et al*
Nishiya K *et al.* Enlarged spleen detected by abdominal ultrasonography in patients with RA: *letter*, **751**
Nitzsche EU *see* Weiner SM *et al*
Nolla JM *et al.* Computed digital absorptiometry of the hand: screening method of bone loss in postmenopausal women with RA: *letter*, **492**
Nuki G *see* Ho M *et al*
Numo R *see* Smolen JS *et al*
Nyhagen C *see* Manthorpe R *et al*

Obata K *see* Yoshihara Y *et al*
Öcal L *see* Gül A *et al*
O'Gradaigh D, Merry P. Corticosteroid injection for the treatment of carpal tunnel syndrome, **918**
Ohno M *see* Funauchi M *et al*
Ohta A *see* Ushiyama O *et al*
Ohtsuki Y *see* Bandoh S *et al*
Okada Y *see* Yoshihara Y *et al*
Olivieri I *et al.* The HLA-B2709 subtype in a patient with undifferentiated spondarthritis: *letter*, **654**
Ollier W. Rheumatoid arthritis and Epstein-Barr virus: a case of living with the enemy?: *leader*, **497**
Ollier WER *see* Gonzalez-Gay MA *et al*
Olson A *see* Ellingsen T *et al*
O'Neill TW *see* Cockerill W *et al*
Ono M *see* Miyashita Y *et al*
Oono S *see* Ushiyama O *et al*
O'Shea JJ *et al.* Jaks and Stats as therapeutic targets, **i115 (suppl I)**
Østergaard M *see* Klarlund M *et al*
Otte A *see* Weiner SM *et al*
Otto P *see* Weiner SM *et al*
Özcebe OI *see* Haznedaroğlu Ş *et al*
Özdoğan H *see* Melikoğlu M *et al*

Padula A *see* Olivieri I *et al*
Paiva ES *et al.* Characterisation of uveitis in patients with psoriatic arthritis, **67**
Pakas I *see* Vlachoyiannopoulos PG *et al*
Paleolog E *see* Feldmann M *et al*
Palmer K *et al.* The Southampton examination schedule for the diagnosis of musculoskeletal disorders of the upper limb, **5**
Panou-Pomonis E *see* Tzioufas AG *et al*
Paoletti V *see* di Franco M *et al*
Papanikolaou C *see* Voulgari PV *et al*
Papazisi D *see* Voulgari PV *et al*
Papo T *see* Aslangul-Castier E *et al*
Paradiso M *see* di Franco M *et al*
Paran D *see* Elkayam O *et al*
Parviainen J *see* Yli-Kerttula T *et al*
Pavelka K *see* Pendleton A *et al*
Pearson JD *see* Stratton RJ *et al*
Pease C *et al.* RS3PE syndrome. The relation with HLA B7: *matters arising*, **239**
Péclat V *see* Varisco PA *et al*
Pendleton A *et al.* EULAR recommendations for the management of knee osteoarthritis: report of a task force of the Standing Committee for International Clinical Studies Including Therapeutic Trials (ESCISIT), **936**
Peter HH *see* Weiner SM *et al*
Petersen J *see* Sørensen SF *et al*
Pfander D *et al.* Expression of thrombospondin-1 and its receptor CD36 in human osteoarthritic cartilage, **448**
Pianon M *see* Nava A *et al*
Pietschmann P *see* Redlich K *et al*
Piette J-C *see* Amoura Z *et al*
see André M *et al*
see Aslangul-Castier E *et al*
see Auzary C *et al*
see Vignes S *et al*
Pikarsky E *see* Nir-Paz R *et al*
Pirozzi G *see* Migliaresi S *et al*
Pizcueta P *see* García-Carrasco M *et al*
Pokorny G *see* Kovács L *et al*
Pols H *see* Kaufman JM *et al*
Pompon L *see* Stratton RJ *et al*
Portek I *see* Lee CS *et al*
Powell RJ *see* Hopkinson ND *et al*
see Morton SJ and Powell RJ
Pozzi S *see* Olivieri I *et al*
Prevoo MLL *see* Kroot EJA *et al*
Price CM *et al.* Comparison of the caudal and lumbar approaches to the epidural space, **879**
Prins A *see* Bierma-Zeinstra SMA *et al*
Prosser ASJ *see* Price CM *et al*
Punzi L *see* Nava A *et al*

Quek ST *et al.* A self limiting tumour, **252**

Racadot E *see* Wendling D *et al*
Radanov BP *et al.* Epidemiology of whiplash: *matters arising*, **395**
Radbruch A *see* Braun J *et al*
see Rudwaleit M *et al*
Raj N *et al.* Once bitten, twice shy!: *lesson of the month*, **684**
Ramokgadi J *see* Dessein PH *et al*
Ramos-Casals M *see* Font J *et al*
see Garcia-Carrasco M *et al*
Rapizzi E *see* Ghirardello A *et al*
Rasker JJ *see* Armstrong R and Rasker JJ
see van der Wardt EM *et al*
Raspe H *see* Cockerill W *et al*
Ravaud P *see* Auleley G-R *et al*
Reading I *see* Palmer K *et al*
Reckless JPD *see* Jones SM *et al*
Redlich K *et al.* Bone mineral density and biochemical parameters of bone metabolism in female patients with systemic lupus erythematosus, **308**
Redtenbacher S *see* Weiler V *et al*
Reginster JY *see* Kaufman JM *et al*
Reißhauer H *see* Bollow M *et al*
Reilly PA. How should we manage fibromyalgia?: *letter*, **490**
Renggli-Zulliger N *see* Dudler J *et al*
Reunanen A *see* Heliövaara M *et al*

Reuss-Borst MA *see* Berner B *et al*
Riachi G *see* Marie I *et al*
Richard S *see* Conrozier T *et al*
Rijken DC *see* Braat EAM *et al*
Ringe J *see* Kaufman JM *et al*
Roberts SNJ *see* Quek ST *et al*
Robinson DE *et al*. Steroid psychosis after an intra-articular injection: *letter*, **927**
Rodriguez-Valverde V *see* Smolen JS *et al*
Rogers J *see* Shepstone L *et al*
Rogers PD *see* Price CM *et al*
Roig-Escofet D *see* Nolla JM *et al*
Ronday HK *see* Braat EAM *et al*
Rosenbaum JT *see* Paiva ES *et al*
Roudier J *see* Toussirot E *et al*
Rudwaleit M *see* Braun J *et al*
Rudwaleit M *et al*. Response to methotrexate in early rheumatoid arthritis is associated with a decrease of T cell derived tumour necrosis factor α, increase of interleukin 10, and predicted by the initial concentration of interleukin 4, **311**
Ruschoff J *see* Kullmann F *et al*
Russell AS *see* Furst DE *et al*
see Radanov BP *et al*
Russo KL *see* Gussin HAE *et al*
Ryan D *see* Wong PKK *et al*
Ryder CAJ *see* McDonagh JE *et al*

Saadeh A *see* Askari A *et al*
Sabokbar A *see* Itonaga I *et al*
Säilä H *see* Savolainen A *et al*
Sakarellos C *see* Tzioufas AG *et al*
Sakarellos-Daitsiotis M *see* Tzioufas AG *et al*
Salvador G *see* Cañete JD *et al*
Sánchez-Pernaute O *see* Herrero-Beaumont G *et al*
Sanila M *see* Yli-Kerttula T *et al*
Sanmartí R *see* Cañete JD *et al*
Santavirta S *see* Xu J-W *et al*
Savolainen A *et al*. Magnitude of the genetic component in juvenile idiopathic arthritis: *letter*, **1001**
Sawalha AH *see* Askari A *et al*
Schenk Y *see* van Jaarsveld CHM *et al*
Schölmerich J *see* Kullmann F *et al*
Schiff MH. Role of interleukin 1 and interleukin 1 receptor antagonist in the mediation of rheumatoid arthritis, **i103 (suppl I)**
Schumacher M *see* Weiner SM *et al*
Scotland AD *see* Fox RA *et al*
Scott DGI, Watts RA. Systemic vasculitis: epidemiology, classification and environmental factors : *leader*, **161**
Scott DL *see* Furst DE *et al*
Scuccimarri R *et al*. Inflammatory arthritis in children with osteochondrodysplasias, **864**
Sedrine WB *see* Kaufman JM *et al*
Seidl B *see* Stahl H-D *et al*
Sellas A *see* Escudero FJ *et al*
Selmaj KW. Tumour necrosis factor and anti-tumour necrosis factor approach to inflammatory demyelinating diseases of the central nervous system, **i94 (suppl I)**
Selvi E *et al*. CD36 and CD14 immunoreactivity of Reiter cells in inflammatory synovial fluids: *letter*, **399**
Serhan E *et al*. A visible and palpable cause of backache: *lesson of the month*, **164**
Serni U *see* Pendleton A *et al*
Sharif M *et al*. Increased serum C reactive protein may reflect events that precede radiographic progression in osteoarthritis of the knee, **71**
Shea B *see* Tugwell P *et al*
Shepstone L *see* Sharif M *et al*
Shepstone L *et al*. Distribution of distal femoral osteophytes in a human skeletal population, **513**
Shimamoto K *see* Nanke Y *et al*
Shimizu K *et al*. Spontaneous and cytokine regulated c-*fos* gene expression in rheumatoid synovial cells: resistance to cytokine stimulation when the c-*fos* gene is overexpressed, **636**
Shiozawa K *see* Shimizu K *et al*
Shiozawa S *see* Shimizu K *et al*
Shipton EA *see* Dessein PH *et al*
Siegert S *see* Braun J *et al*
see Rudwaleit M *et al*
Sieper J *see* Bollow M *et al*
see Braun J and Sieper J
see Braun J *et al*
see Rudwaleit M *et al*
Silman MA *see* Birrell F *et al*
see Harrison B *et al*
Silman A *et al*. Proposal to establish a register for the long term surveillance of adverse events in patients with rheumatic diseases exposed to biological agents: the EULAR Surveillance Register for Biological Compounds: *editorial*, **419**
The existence of geographical clusters of cases of inflammatory polyarthritis in a primary care based register, **152**
Silman AJ *see* Cockerill W *et al*
Silverman B *see* Shepstone L *et al*
Simister K. The role of national agencies in the managed introduction of new drugs for arthritis, **i38 (suppl I)**
Simonsick EM *see* Lamb SE *et al*
Sinnema G *see* Huygen ACJ *et al*
Sisó A *see* Garcia-Carrasco M *et al*
Skjødt H *see* Klarlund M *et al*
Skogh T *see* Locht H *et al*
Slot O *see* Sørensen SF *et al*
Slot O *et al*. Marker of erosive progression in RA: *letter*, **656**
Smeets TJ *see* Verschueren PC *et al*
Smirov A *see* Sthoeger ZM *et al*
Smith M. Efficacy of intra-articular primatised anti-CD4 in resistant rheumatoid knees: *matters arising*, **398**
Smolen JS *see* Furst DE *et al*
see Redlich K *et al*
see Weiler V *et al*
Smolen JS *et al*. Consensus statement on the initiation and continuation of tumour necrosis factor blocking therapies in rheumatoid arthritis, **504**
Smyth AE *et al*. Acute oedematous dermatomyositis: *letter*, **575**
Digital vascular responses and serum endothelin-1 concentrations in primary and secondary Raynaud's phenomenon, **870**
So A *see* Dudler J *et al*
see Pease C *et al*
see Varisco PA *et al*
Sokka T, Hannonen P. Healing of erosions in rheumatoid arthritis, **647**
Solary E *see* Maillefert JF *et al*
Soo CC-Y *see* Ellis L *et al*
Sørensen SF *et al*. A prospective study of vasculitis patients collected in a five year period: evaluation of the Chapel Hill nomenclature, **478**
Southwood TR *see* McDonagh JE *et al*
Spencer RF *see* Robinson DE *et al*
Spencer-Green G. Etanercept (Enbrel): update on therapeutic use, **i46 (suppl I)**
Spera M *see* Migliaresi S *et al*
Spitzauer S *see* Redlich K *et al*
Spyropoulou-Vlachou M *see* Vlachoyiannopoulos PG *et al*
Stahl H-D *et al*. Detection of multiple viral DNA species in synovial tissue and fluid of patients with early arthritis, **342**
Stanwix AE *see* Dessein PH *et al*
Stavropoulos-Giokas C *see* Vlachoyiannopoulos PG *et al*
Steenbakkers P *see* Vos K *et al*
Steinbach F *et al*. Monocytes from systemic lupus erythematous patients are severely altered in phenotype and lineage flexibility, **283**
Stengaard-Pedersen K *see* Ellingsen T *et al*
Stephens RW *see* Slot O *et al*
Sthoeger ZM *et al*. Anticardiolipin autoantibodies in serum samples and cryoglobulins of patients with chronic hepatitis C infection, **483**
Stiggelbout AM *see* Tijhuis GJ *et al*
Stirling CA *see* Jones SM *et al*
Stohlawetz P *see* Redlich K *et al*
Stoll T *et al*. Do present damage and health perception in patients with systemic lupus erythematosus predict extent of future damage?: a prospective study, **832**
Stratton RJ *et al*. Soluble thrombomodulin concentration is raised in scleroderma associated pulmonary hypertension, **132**
Straub RH *see* Cutolo M and Straub RH
Sturfelt G *see* Bengtsson A *et al*
Sturmer T *see* Erb A *et al*
see Kessler S *et al*
Sturrock RD *see* Balint PV and Sturrock RD
see Gupta MN *et al*
Suarez-Almazor M *see* Tugwell P *et al*
Sugiyama M *see* Funauchi M *et al*
Sullivan D *see* Wong PKK *et al*
Sutcliffe N *see* Stoll T *et al*
Suzuki M *see* Kono H *et al*
Suzuki N *see* Ushiyama O *et al*
Swoboda B *see* Pendleton A *et al*
see Pfander D *et al*
Symmons D *see* Harrison B *et al*
see Silman A *et al*
Syzpryt EP *see* Clark DI *et al*

Taal E *see* van der Wardt EM *et al*
Tabery H *see* Manthorpe R *et al*
Taccari E *see* di Franco M *et al*
Tada Y *see* Ushiyama O *et al*
Tak PP *see* Bresnihan B *et al*
see Stahl H-D *et al*
Tak PP. Analysis of synovial biopsy samples: opportunities and challenges: *leader*, **929**
Takahara J *see* Bandoh S *et al*
Takeuchi F *et al*. Association of the TNFa13 microsatellite with systemic sclerosis in Japanese patients, **293**
Tallon D *see* Chard JA *et al*
Tarkowski A *see* Trysberg E *et al*

Tavernier C *see* Maillefert JF *et al*
Taylor P *see* Feldmann M *et al*
Teh L-S *see* Raj N *et al*
Tekoppele JM *see* Brama PAJ *et al*
Teodorescu M *see* Gussin HAE *et al*
Tervaert JWC *see* Kallenberg CGM and Tervaert JWC
Theander E *see* Manthorpe R *et al*
Thiel A *see* Braun J *et al*
Thiele B *see* Steinbach F *et al*
Thomson EA *see* Capell HA *et al*
Thorburn P *see* Hosie J *et al*
Thorsteinsson J *see* Halldórsdóttir HD *et al*
Tiberghien P *see* Toussirot E *et al*
Tijhuis GJ *et al*. Value of the time trade off method for measuring utilities in patients with rheumatoid arthritis, **892**
Tirri E *see* Giunta A *et al*
Tirri G *see* Migliaresi S *et al*
Tissot J-D *see* André M *et al*
Toivanen A *see* Laivoranta-Nyman S *et al*
see Yli-Kerttula T *et al*
Tokuda M *see* Bandoh S *et al*
Török T *see* Kovács L *et al*
Torp-Pedersen S *see* Bliddal H and Torp-Pedersen S
Toussirot E *see* Wendling D *et al*
Toussirot E *et al*. Decreased T cell precursor frequencies to Epstein-Barr virus glycoprotein gp110, **533**
Increased frequency of HLA-DRB10401 in patients with RA and bronchiectasis: *letter*, **1002**
Tridon A *see* André M *et al*
Trysberg E *et al*. Autologous stem cell transplantation in a case of treatment resistant central nervous system lupus, **236**
Tugwell P *et al*. Efficacy and toxicity of old and new disease modifying antirheumatic drugs, **i32 (suppl I)**
Tuokko J *see* Laivoranta-Nyman S *et al*
Tuzün F *see* Çalış M *et al*
Tvede N *see* Sørensen SF *et al*
Tyrrell-Price J *see* Dean GS *et al*
Tzioufas AG *see* Voulgarelis M *et al*
Tzioufas AG *et al*. The clinical relevance of antibodies to ribosomal-P common epitope in two targeted systemic lupus erythematosus populations: a large cohort of consecutive patients and patients with active central nervous system disease, **99**
Tzortzakis NG *see* Tzioufas AG *et al*

Uchida T *et al*. Immunohistochemical localisation of protein tyrosine kinase receptors Tie-1 and Tie-2 in synovial tissue of rheumatoid arthritis: correlation with angiogenesis and synovial proliferation, **607**
Uddenfeldt P *see* Weitoft T and Uddenfeldt P
Ueda Y *see* Bandoh S *et al*
Ueki H *see* Miyashita Y *et al*
Uhlig T *see* Hagen KB *et al*
see Kvien TK *et al*
Uksila J *see* Yli-Kerttula T *et al*
Ulfgren A-K *et al*. Interindividual and intra-articular variation of proinflammatory cytokines in patients with rheumatoid arthritis: potential implications for treatment, **439**
Unger A *see* Quek ST *et al*
Ushiyama K *see* Ushiyama O *et al*
Ushiyama O *et al*. Retinal disease in patients with systemic lupus erythematosus, **705**

Vainionpää R *see* Yli-Kerttula T *et al*
Valdimarsson H *see* Halldórsdóttir HD *et al*
see Jolobe OMP
Valentini G *see* Giunta A *et al*
van Albada-Kuipers GA *see* van Jaarsveld CHM *et al*
van Booma-Frankfort C *see* van Jaarsveld CHM *et al*
van Damme N *see* Baeten D *et al*
see Demetter P *et al*
van den Berg WB *see* Joosten LAB *et al*
van den Berg WB. Arguments for interleukin 1 as a target in chronic arthritis, **i81 (suppl I)**
van den Bosch F *see* Baeten D *et al*
van den Bosch F *et al*. Effects of a loading dose regimen of three infusions of chimeric monoclonal antibody to tumour necrosis factor α (infliximab) in spondyloarthropathy: an open pilot study, **428**
van den Brule AJC *see* van der Paardt M *et al*
van Denderen JC *see* van der Paardt M *et al*
van den Ende CHM *et al*. Effect of intensive exercise on patients with active rheumatoid arthritis: a randomised clinical trial, **615**
van den Heuvel MW *see* Vos K *et al*
van de Putte LBA *see* Doherty M and van de Putte LBA
see Furst DE *et al*
see Kroot EJA *et al*
see Smolen JS *et al*
van de Putte LBA, Vischer TL. The first annual EULAR Congress: *leader*, **401**
van de Putte L *et al*. The *Annals*, EULAR and the future of rheumatology: *leader*, **1**
van der Heijden IM *see* Stahl H-D *et al*
van der Horst-Bruinsma IE *see* Jansen LMA *et al*
see van der Paardt M *et al*
van der Linden S *see* Chorus AMJ *et al*
see Heuft-Dorenbosch LLJ *et al*
see Verhoeven AC *et al*
van der Linden SJ. Standing Committee on Epidemiology and Health Services Research: past, present, and future: *leader*, **773**
van der Paardt M *et al*. Prevalence of *Chlamydia trachomatis* in urine of male patients with ankylosing spondylitis is not increased, **300**
van der Veen MJ *see* van Jaarsveld CHM *et al*
van der Wardt EM *et al*. The general public's knowledge and perceptions about rheumatic diseases, **32**
van Dieten HEM *et al*. Systematic review of the cost effectiveness of prophylactic treatments in the prevention of gastropathy in patients with rheumatoid arthritis or osteoarthritis taking non-steroidal anti-inflammatory drugs: *review*, **753**
van El B *see* Brama PAJ *et al*
van Engelen BGM *see* Hengstman GJD *et al*
van Gestel AM *see* van Riel PLCM and van Gestel AM
van Haelst L *see* Kaufman JM *et al*
van Jaarsveld CHM *et al*. Aggressive treatment in early rheumatoid arthritis: a randomised controlled trial, **468**
van Leeuwen MA *see* Kroot EJA *et al*
van Ness K *see* Varisco PA *et al*
Vanneuville B *et al*. Non-Hodgkin's lymphoma presenting with spinal involvement: *lesson of the month*, **12**
van Riel P *see* Silman A *et al*
van Riel PLCM *see* Kroot EJA *et al*
see Smolen JS *et al*
van Riel PLCM, van Gestel AM. Clinical outcome measures in rheumatoid arthritis, **i28 (suppl I)**
van Rijswijk MH *see* Hazenberg BPC and van Rijswijk MH
see Kroot EJA *et al*
van Schaardenburg D *see* Jansen LMA *et al*
van 't Hof MA *see* Kroot EJA *et al*
van Tulder MW *see* van Dieten HEM *et al*
van Venrooij WJ *see* Hengstman GJD *et al*
van Weeren PR *see* Brama PAJ *et al*
Varisco PA *et al*. Effect of thrombin inhibition on synovial inflammation in antigen induced arthritis, **781**
Vauthier-Brouzes D *see* Auzary C *et al*
Veale D *see* Ho M *et al*
Vencovsky J *see* Hengstman GJD *et al*
Verbruggen AA *see* Pendleton A *et al*
Verbruggen G *see* Baeten D *et al*
see Demetter P *et al*
Verhaar JAN *see* Bierma-Zeinstra SMA *et al*
Verhoeven AC *et al*. Responsiveness of the core set, response criteria, and utilities in early rheumatoid arthritis, **966**
Vermeulen S *see* Demetter P *et al*
Verschueren PC *et al*. Increased cellularity and expression of adhesion molecules in muscle biopsy specimens from patients with rheumatoid arthritis with clinical suspicion of vasculitis, but negative routine histology, **598**
Veys EM *see* Baeten D *et al*
see Demetter P *et al*
see van den Bosch F *et al*
see Vanneuville B *et al*
Vignes S *et al*. Percentage of glycosylated serum ferritin remains low throughout the course of adult onset Still's disease, **347**
Vignon E *see* Conrozier T *et al*
Vischer TL *see* Kaufman JM *et al*
see van de Putte LBA and Vischer TL
Vischer TL. The *Annals of the Rheumatic Diseases* becomes the EULAR journal: *leader*, **1**
Visconti R *see* O'Shea JJ *et al*
Visher TL *see* Furst DE *et al*
Vlachoyiannopoulos PG *et al*. Systemic scleroderma in Greece: low mortality and strong linkage with HLA-DRB11104 allele, **359**
Vlieland TPMV *see* Tijhuis GJ *et al*
Vord PJV *see* Nelson DA *et al*
Vos K *et al*. Raised human cartilage glycoprotein-39 plasma levels in patients with rheumatoid arthritis and other inflammatory conditions, **544**
Voskuyl AE *see* Verschueren PC *et al*
Voulgarelis M *et al*. Anaemia in systemic lupus erythematosus: aetiological profile and the role of erythropoietin, **217**
Voulgari PV *et al*. Prevalence of Raynaud's phenomenon in a healthy Greek population, **206**
Vuotikka P *see* Kauranen K *et al*

Waldmann TA *see* Morris JC and Waldmann TA
Walker-Bone K *see* Palmer K *et al*
Walsh DA *et al*. Angiotensin converting enzyme in human synovium: increased stromal [^{125}I]351A binding in rheumatoid arthritis, **125**
Waris E *see* Xu J-W *et al*
Wasko MCM *see* Manzi S and Wasko MCM
Watts RA *see* Scott DGI and Watts RA
Wechsler B *see* Auzary C *et al*
see Vignes S *et al*

Weiler V *et al*. Concurrence of sarcoidosis and aortitis: case report and review of the literature, **850**
Weiner SM *et al*. Diagnosis and monitoring of central nervous system involvement in systemic lupus erythematosus: value of F-18 fluorodeoxyglucose PET, **377**
Weisman MH *see* Furst DE *et al*
Weitoft T, Uddenfeldt P. Importance of synovial fluid aspiration when injecting intra-articular corticosteroids, **233**
Welch V *see* Tugwell P *et al*
Wells G *see* Tugwell P *et al*
Wendling D *et al*. Lack of involvement of the Fas system in ankylosing spondylitis: *letter*, **574**
see Toussirot E *et al*
Weseloh G *see* Pendleton A *et al*
see Pfander D *et al*
Wessinghage D *see* Kullmann F *et al*
Wevers CJ *see* Chorus AMJ *et al*
Wharton J *see* Walsh DA *et al*
White R *see* Raj N *et al*
Widell A *see* Bengtsson A *et al*
Widmann T *see* Kullmann F *et al*
Wiik A *see* Locht H *et al*
Wilbrink B *see* Stahl H-D *et al*
Williams R *see* Feldmann M *et al*
Williams RO *et al*. Cartilage destruction and bone erosion in arthritis: the role of tumour necrosis factor α, **i75 (suppl I)**
Winyard PG *see* Ellis L *et al*
Wolf G *see* Berner B *et al*
Woloszczuk W *see* Redlich K *et al*
Wong PKK *et al*. Crystal unclear: *lesson of the month*, **83**
Wooley PH *see* Nelson DA *et al*
Woolf AD *see* Deodhar AA and Woolf AD
see Kvien TK *et al*
Woolf AD. The Bone and Joint Decade 2000–2010: *leader*, **81**
Woolf AD, Doherty M. Education to improve the health of the nation: Who should we educate?: *leader*, **401**
Woolf T *see* van de Putte L *et al*
Wu P *see* Braun J *et al*

Xiang J *see* Braun J *et al*
Xu J-W *et al*. Expression of epidermal growth factor and transforming growth factor α in interfacial membranes retrieved at revision total hip arthroplasty, **822**

Yamada H *see* Kobayashi T *et al*
see Yoshihara Y *et al*
Yamamoto E *see* Shimizu K *et al*
Yamazaki J *see* Inokuma S *et al*
Yaron M *see* Elkayam O *et al*
Yazıcı H *see* Melikoğlu M *et al*
Yin Z *see* Rudwaleit M *et al*
Yli-Kerttula T *et al*. Effect of a three month course of ciprofloxacin on the outcome of reactive arthritis, **565**
Yli-Kerttula U *see* Laivoranta-Nyman S *et al*
see Yli-Kerttula T *et al*
Yonehara S *see* Shimizu K *et al*
Yoo BS *see* Funauchi M *et al*
York JR *see* Wong PKK *et al*
Yoshihara Y *see* Kobayashi T *et al*
Yoshihara Y *et al*. Matrix metalloproteinases and tissue inhibitors of metalloproteinases in synovial fluids from patients with rheumatoid arthritis or osteoarthritis, **455**
Yoshikawa N *see* Shimizu K *et al*
Yoshinouchi T *see* Bandoh S *et al*
Yoshizaki K *see* Nishimoto N *et al*

Zampieri S *see* Ghirardello A *et al*
Zeidler H *see* Harrison B *et al*
Zeltser D *see* Elkayam O *et al*
Ziegler S *see* Redlich K *et al*
Zimmermann-Gorska I *see* Pendleton A *et al*
Zwinderman AH *see* Tijhuis GJ *et al*
Zwinderman KH *see* Verschueren PC *et al*

VOLUME 59 • SUBJECT INDEX

abdominal pain, Pulmonary infiltrates and abdominal colic pain in a patient with a connective tissue disorder, **15**

Achilles tendonitis, Inflamed retrocalcaneal bursa and Achilles tendonitis in psoriatic arthritis demonstrated by ultrasonography: *now and then*, **931**

acromioclavicular joint, Relation of glenohumeral and acromioclavicular joint destruction in rheumatoid shoulder. A 15 year follow up study, **158**

acute anterior uveitis, Prevalence of *Chlamydia trachomatis* in urine of male patients with ankylosing spondylitis is not increased, **300**

adenoviral transgene delivery, Adenoviral transgene delivery provides an approach to identifying important molecular processes in inflammation: evidence for heterogenecity in the requirement for NFκB in tumour necrosis factor production, **i54 (suppl I)**

adolescent, Psychological, behavioural, and social adjustment in children and adolescents with juvenile chronic arthritis, **276**

adrenomedullin, Raised plasma adrenomedullin in patients with systemic sclerosis complicated by pulmonary hypertension: *letter*, **493**

adverse events, Immunoglobulin and lymphocyte decrease concurrent with adverse reactions induced by methotrexate for RA: *letter*, **495**

Proposal to establish a register for the long term surveillance of adverse events in patients with rheumatic diseases exposed to biological agents: the EULAR Surveillance Register for Biological Compounds: *editorial*, **419**

air pouch, Activation of the transcription factor NF-κB in the rat air pouch model of inflammation, **303**

alcohol, Reduced incidence of alcohol related deaths in subjects with rheumatoid arthritis, **75**

alignment, Procollagen IIC-peptide as a marker for assessing mechanical risk factors of knee osteoarthritis: effect of obesity and varus alignment, **982**

amyloid, Where has secondary amyloid gone?: *leader*, **577**

amyloid arthropathy, Concurrence of sarcoidosis and aortitis: case report and review of the literature, **850**

amyloidosis, A survey of phenotype II in familial Mediterranean fever, **910**

Concurrence of sarcoidosis and aortitis: case report and review of the literature, **850**

anaemia, Anaemia in systemic lupus erythematosus: aetiological profile and the role of erythropoietin, **217**

angiogenesis, Immunohistochemical localisation of protein tyrosine kinase receptors Tie-1 and Tie-2 in synovial tissue of rheumatoid arthritis: correlation with angiogenesis and synovial proliferation, **607**

The role of angiogenesis in rheumatoid arthritis: recent developments, **i65 (suppl I)**

angiotensin converting enzyme, Angiotensin converting enzyme in human synovium: increased stromal [^{125}I]351A binding in rheumatoid arthritis, **125**

ankylosing spondylitis, Ankylosing spondylitis in north Jordan:, **571**

Anti-TNFα: a new dimension in the pharmacotherapy of the spondyloarthropathies !?: *leader*, **404**

Effects of a loading dose regimen of three infusions of chimeric monoclonal antibody to tumour necrosis factor α (infliximab) in spondyloarthropathy: an open pilot study, **428**

Lack of involvement of the Fas system in ankylosing spondylitis: *letter*, **574**

Prevalence of *Chlamydia trachomatis* in urine of male patients with ankylosing spondylitis is not increased, **300**

Recurrence risk modelling of the genetic susceptibility to ankylosing spondylitis, **883**

The oxidative metabolism of circulating phagocytes in ankylosing spondylitis: determination by whole blood chemiluminescence, **338**

ankylosis, Enthesitis and ankylosis in spondyloarthropathy: What is the target of the immune response?, **985**

anterior cruciate ligament rupture, Early radiographic features in patients with anterior cruciate ligament rupture, **641**

anterior knee pain, Physiotherapy for anterior knee pain: a randomised controlled trial, **700**

antibodies, Anti-ribosomal P protein antibodies detected by immunoblotting in patients with connective tissue diseases: their specificity for SLE and association with IgG anticardiolipin antibodies, **975**

anticardiolipin antibodies, Anticardiolipin autoantibodies in serum samples and cryoglobulins of patients with chronic hepatitis C infection, **483**

Risk factors for avascular necrosis of bone in patients with systemic lupus erythematosus: Is there a role for antiphospholipid antibodies?, **462**

The clinical relevance of antibodies to ribosomal-P common epitope in two targeted systemic lupus erythematosus populations: a large cohort of consecutive patients and patients with active central nervous system disease, **99**

anti-CD4, Efficacy of intra-articular primatised anti-CD4 in resistant rheumatoid knees: *letter*, **398**

anti-erythropoietin antibodies, Anaemia in systemic lupus erythematosus: aetiological profile and the role of erythropoietin, **217**

anti-inteleukin 6 receptor antibodies, Anti-interleukin 6 receptor antibody treatment in rheumatic disease, **i21 (suppl I)**

antineutrophil cytoplasmic antibodies, A case of rheumatoid meningitis positive for perinuclear antineutrophil cytoplasmic antibody: *letter*, **1001**

Characterisation of autoantibodies to neutrophil granule constituents among patients with reactive arthritis, rheumatoid arthritis, and ulcerative colitis, **898**

antiphospholipid antibodies, Retinal disease in patients with systemic lupus erythematosus, **705**

Splenectomy for refractory Evans' syndrome associated with antiphospholipid antibodies: report of two cases, **920**

antiphospholipid syndrome, Avascular necrosis of a single vertebral body, an atypical site of disease in a patient with SLE and secondary APLS: *letter*, **494**

anti-Tac, Advances in interleukin 2 receptor targeted treatment, **i109 (suppl I)**

anti-TNFα, Anti-TNFα: a new dimension in the pharmacotherapy of the spondyloarthropathies !?: *leader*, **404**

Effects of a loading dose regimen of three infusions of chimeric monoclonal antibody to tumour necrosis factor α (infliximab) in spondyloarthropathy: an open pilot study, **428**

apoptosis, Apoptosis in normal and osteoarthritic human articular cartilage, **959**

arthritis, Biological role of interleukin 1 receptor antagonist isoforms, **i60 (suppl I)**

Ciprofloxacin *v* placebo for treatment of *Yersinia enterocolitica* triggered reactive arthritis, **914**

Effect of thrombin inhibition on synovial inflammation in antigen induced arthritis, **781**

Systematic review of the cost effectiveness of prophylactic treatments in the prevention of gastropathy in patients with rheumatoid arthritis or osteoarthritis taking non-steroidal anti-inflammatory drugs: *review*, **753**

The general public's knowledge and perceptions about rheumatic diseases, **32**

arthritis research, Synovial biopsy in arthritis research: five years of concerted European collaboration: *review*, **506**

arthrocentesis, Importance of synovial fluid aspiration when injecting intra-articular corticosteroids, **233**

arthroplasty, Effect of osteoprotegerin and osteoprotegerin ligand on osteoclast formation by arthroplasty membrane derived macrophages, **26**

a-Scl-70, Association of the TNFa13 microsatellite with systemic sclerosis in Japanese patients, **293**

atherosclerosis, Inflammation-mediated rheumatic diseases and atherosclerosis: *leader*, **321**

autoantibodies, Anticardiolipin autoantibodies in serum samples and cryoglobulins of patients with chronic hepatitis C infection, **483**

No serological indications that systemic lupus erythematosus is linked with exposure to human parvovirus B19, **64**

autoimmune diseases, Development of additional autoimmune diseases in a population of patients with systemic lupus erythematosus, **230**

Targeting interleukin 18 with interleukin 18 binding protein, **i17 (suppl I)**

autoimmune disorders, Acute myocardial infarction associated with high dose intravenous immunoglobulin infusion for autoimmune disorders. A study of four cases, **77**

autoimmune hepatitis, Polymyositis, cranial neuropathy, autoimmune hepatitis, and hepatitis C: *letter*, **839**

back pain, Does location of vertebral deformity within the spine influence back pain and disability?, **368**

Psychosocial risks for low back pain: are these related to work?: *matters arising*, **319**

Vertebral fractures and bone mineral density in idiopathic, secondary and corticosteroid associated osteoporosis in men, **269**

backache, A visible and palpable cause of backache: *lesson of the month*, **164**

Behçet's disease, Familial aggregation of Behçet's disease in Turkey, **622**

Selectin adhesion molecules in Behçet's disease, **61**

BILAG, Do present damage and health perception in patients with systemic lupus erythematosus predict extent of future damage?: a prospective study, **832**

biochemical markers, Bone mineral density and biochemical parameters of bone metabolism in female patients with systemic lupus erythematosus, **308**
Raised human cartilage glycoprotein-39 plasma levels in patients with rheumatoid arthritis and other inflammatory conditions, **544**
biological agents, Proposal to establish a register for the long term surveillance of adverse events in patients with rheumatic diseases exposed to biological agents: the EULAR Surveillance Register for Biological Compounds: *editorial*, **419**
body mass index, Procollagen IIC-peptide as a marker for assessing mechanical risk factors of knee osteoarthritis: effect of obesity and varus alignment, **982**
Bone and Joint Decade, The Bone and Joint Decade 2000–2010: *leader*, **81**
bone densitometry, Computed digital absorptiometry of the hand: screening method of bone loss in postmenopausal women with RA: *letter*, **492**
bone erosions, The final pathogenetic steps in focal bone erosions in rheumatoid arthritis, **i72 (suppl I)**
bone mineral density, Bone mineral density and biochemical parameters of bone metabolism in female patients with systemic lupus erythematosus, **308**
Bone mineral density in systemic lupus erythematosus: comparison with rheumatoid arthritis and healthy controls, **110**
Polymorphism in the vitamin D receptor gene and bone mass in African-American and white mothers and children: a preliminary report, **626**
Vertebral fractures and bone mineral density in idiopathic, secondary and corticosteroid associated osteoporosis in men, **269**
brain inflammation, Autologous stem cell transplantation in a case of treatment resistant central nervous system lupus, **236**
bronchial necrosis, Pneumomediastinum in dermatomyositis: association with cutaneous vasculopathy, **372**
bronchiectasis, Increased frequency of HLA-DRB10401 in patients with RA and bronchiectasis: *letter*, **1002**

C reactive protein, Increased serum C reactive protein may reflect events that precede radiographic progression in osteoarthritis of the knee, **71**
c-*fos* gene, Spontaneous and cytokine regulated c-*fos* gene expression in rheumatoid synovial cells: resistance to cytokine stimulation when the c-*fos* gene is overexpressed, **636**
calcium, A "missed" cryoglobulin: the importance of in vitro calcium concentration: *letter*, **490**
calcium pyrophosphate, Crystal unclear: *lesson of the month*, **83**
cardiolipin, Anti-ribosomal P protein antibodies detected by immunoblotting in patients with connective tissue diseases: their specificity for SLE and association with IgG anticardiolipin antibodies, **975**
carpal tunnel syndrome, Corticosteroid injection for the treatment of carpal tunnel syndrome, **918**
cartilage, Apoptosis in normal and osteoarthritic human articular cartilage, **959**
Blockade of endogenous interleukin 12 results in suppression of murine streptococcal cell wall arthritis by enhancement of interleukin 10 and interleukin 1Ra, **196**
Expression of thrombospondin-1 and its receptor CD36 in human osteoarthritic cartilage, **448**
cartilage loss, Increased serum C reactive protein may reflect events that precede radiographic progression in osteoarthritis of the knee, **71**
Castleman's disease, Anti-interleukin 6 receptor antibody treatment in rheumatic disease, **i21 (suppl I)**
cat bite, Once bitten, twice shy!: *lesson of the month*, **684**
catenins, Subclinical gut inflammation in spondyloarthropathy patients is associated with upregulation of the E-cadherin/catenin complex, **211**
caudal, Comparison of the caudal and lumbar approaches to the epidural space, **879**
CD25, Advances in interleukin 2 receptor targeted treatment, **i109 (suppl I)**
CD4+ T cells, Increased expression of CD40 ligand (CD154) on CD4+ T cells as a marker of disease activity in rheumatoid arthritis, **190**
CD40 ligand, Increased expression of CD40 ligand (CD154) on CD4+ T cells as a marker of disease activity in rheumatoid arthritis, **190**
central nervous system, Tumour necrosis factor and anti-tumour necrosis factor approach to inflammatory demyelinating diseases of the central nervous system, **i94 (suppl I)**
cervical myelopathy, Improved medical and surgical management of cervical spine disease in patients with rheumatoid arthritis over 10 years, **434**
chemiluminescence, The oxidative metabolism of circulating phagocytes in ankylosing spondylitis: determination by whole blood chemiluminescence, **338**
child, Psychological, behavioural, and social adjustment in children and adolescents with juvenile chronic arthritis, **276**
Chlamydia trachomatis, Prevalence of *Chlamydia trachomatis* in urine of male patients with ankylosing spondylitis is not increased, **300**
cholesterol, Coffee consumption, RF, and the risk of RA: *matters arising*, **1000**
Coffee consumption, rheumatoid factor, and the risk of rheumatoid arthritis, **631**
cholinergic, Impaired microvascular response to cholinergic stimuli in primary Sjögren's syndrome, **48**
chondrocyte metabolism, Blockade of endogenous interleukin 12 results in suppression of murine streptococcal cell wall arthritis by enhancement of interleukin 10 and interleukin 1Ra, **196**
chondroitin sulphate epitopes, Synovial fluid chondroitin sulphate epitopes 3B3 and 7D4, and glycosaminoglycan in human knee osteoarthritis after exercise, **887**
chronic myelomonocytic leukaemia, Systemic vasculitis with bilateral perirenal haemorrhage in chronic myelomonocytic leukaemia, **390**
ciprofloxacin, Ciprofloxacin *v* placebo for treatment of *Yersinia enterocolitica* triggered reactive arthritis, **914**
Effect of a three month course of ciprofloxacin on the outcome of reactive arthritis, **565**
circulating immune complexes., Effect of circulating immune complexes on the binding of rheumatoid factor to histones, **351**
classification, A prospective study of vasculitis patients collected in a five year period: evaluation of the Chapel Hill nomenclature, **478**
The Southampton examination schedule for the diagnosis of musculoskeletal disorders of the upper limb, **5**
classification criteria, Diagnostic evaluation of classification criteria for RA and reactive arthritis: *letter*, **397**
clinical trials, Responsiveness of the core set, response criteria, and utilities in early rheumatoid arthritis, **966**
CNS disease, The clinical relevance of antibodies to ribosomal-P common epitope in two targeted systemic lupus erythematosus populations: a large cohort of consecutive patients and patients with active central nervous system disease, **99**
coffee, Coffee consumption, RF, and the risk of RA: *matters arising*, **1000**
Coffee consumption, rheumatoid factor, and the risk of rheumatoid arthritis, **631**
cold provocation, Digital vascular responses and serum endothelin-1 concentrations in primary and secondary Raynaud's phenomenon, **870**
colon radiographs, Assessment of primary hip osteoarthritis: comparison of radiographic methods using colon radiographs, **650**
competency, What competence does a rheumatologist need?: an international perspective, **580**
connective tissue disease, Anti-ribosomal P protein antibodies detected by immunoblotting in patients with connective tissue diseases: their specificity for SLE and association with IgG anticardiolipin antibodies, **975**
connective tissue disorders, VII European Paediatric Rheumatology Congress: Annual Scientific Meeting of PRES, **713**
Pulmonary infiltrates and abdominal colic pain in a patient with a connective tissue disorder, **15**
consensus statement, Consensus statement on the initiation and continuation of tumour necrosis factor blocking therapies in rheumatoid arthritis, **504**
consensus study, Background for studies on the treatment of male osteoporosis: state of the art, **765**
consultation behaviour, A population study of factors associated with general practitioner consultation for non-inflammatory musculoskeletal pain, **788**
coordination, Motor performance of the hand in patients with rheumatoid arthritis, **812**
COPE guidelines, COPE guidelines on good publication practice: *leader*, **403**
corticosteroids, Effects of cyclosporin at various concentrations on dexamethasone intracellular uptake in multidrug resistant cells, **146**
Intra-articular corticosteroids in septic arthritis: beneficial or barmy?: *matters arising*, **240**
Risk factors for avascular necrosis of bone in patients with systemic lupus erythematosus: Is there a role for antiphospholipid antibodies?, **462**
cost effectiveness, Systematic review of the cost effectiveness of prophylactic treatments in the prevention of gastropathy in patients with rheumatoid arthritis or osteoarthritis taking non-steroidal anti-inflammatory drugs: *review*, **753**
cranial neuropathy, Polymyositis, cranial neuropathy, autoimmune hepatitis, and hepatitis C: *letter*, **839**
cryoglobulinaemia, A "missed" cryoglobulin: the importance of in vitro calcium concentration: *letter*, **490**
cryoglobulins, Anticardiolipin autoantibodies in serum samples and cryoglobulins of patients with chronic hepatitis C infection, **483**
cutaneous leucocytoclastic vasculitis, Cutaneous leucocytoclastic vasculitis caused by cyclosporin A (Sandimmun): *letter*, **319**
cutaneous vasculopathy, Pneumomediastinum in dermatomyositis: association with cutaneous vasculopathy, **372**
cyclosporin, An audit of cyclosporin for systemic lupus erythematosus and related overlap syndromes: limitations of its use, **487**
Cutaneous leucocytoclastic vasculitis caused by cyclosporin A (Sandimmun): *letter*, **319**

Effects of cyclosporin at various concentrations on dexamethasone intracellular uptake in multidrug resistant cells, **146**
cytokines, Activation of cytokines as a mechanism of disease progression in heart failure, **i90 (suppl I)**
Biological role of interleukin 1 receptor antagonist isoforms, **i60 (suppl I)**
Blockade of endogenous interleukin 12 results in suppression of murine streptococcal cell wall arthritis by enhancement of interleukin 10 and interleukin 1Ra, **196**
Cytokines and systemic lupus erythematosus, **243**
Future prospects for anti-cytokine treatment, **i119 (suppl I)**
Interindividual and intra-articular variation of proinflammatory cytokines in patients with rheumatoid arthritis: potential implications for treatment, **439**
Jaks and Stats as therapeutic targets, **i115 (suppl I)**
Role of interleukin 1 and interleukin 1 receptor antagonist in the mediation of rheumatoid arthritis, **i103 (suppl I)**
Targeting interleukin 18 with interleukin 18 binding protein, **i17 (suppl I)**

D2E7, Update on D2E7: a fully human anti-tumour necrosis factor α monoclonal antibody, **i44 (suppl I)**
death, Reduced incidence of alcohol related deaths in subjects with rheumatoid arthritis, **75**
degenerative arthritis, Inflammatory arthritis in children with osteochondrodysplasias, **864**
demyelinating disease, Tumour necrosis factor and anti-tumour necrosis factor approach to inflammatory demyelinating diseases of the central nervous system, **i94 (suppl I)**
dermatomyositis, Acute oedematous dermatomyositis: *letter,* **575**
Pneumomediastinum in dermatomyositis: association with cutaneous vasculopathy, **372**
Sequential changes of KL-6 in sera of patients with interstitial pneumonia associated with polymyositis/dermatomyositis, **257**
The relative prevalence of dermatomyositis and polymyositis in Europe exhibits a latitudinal gradient, **141**
development, Influence of development and joint pathology on stromelysin enzyme activity in equine synovial fluid, **155**
dexamethasone, Activation of the transcription factor NF-κB in the rat air pouch model of inflammation, **303**
diagnosis, A prospective study of vasculitis patients collected in a five year period: evaluation of the Chapel Hill nomenclature, **478**
The Southampton examination schedule for the diagnosis of musculoskeletal disorders of the upper limb, **5**
diagnostic tests, Diagnostic values of clinical diagnostic tests in subacromial impingement syndrome, **44**
diastolic function, Diastolic function abnormalities in rheumatoid arthritis. Evaluation by echo Doppler transmitral flow and pulmonary venous flow: relation with duration of disease, **227**
diet, Beneficial effects of weight loss associated with moderate calorie/carbohydrate restriction, and increased proportional intake of protein and unsaturated fat on serum urate and lipoprotein levels in gout: a pilot study, **539**
differentiation, Monocytes from systemic lupus erythematous patients are severely altered in phenotype and lineage flexibility, **283**
diffuse alveolar damage, Sequential changes of KL-6 in sera of patients with interstitial pneumonia associated with polymyositis/dermatomyositis, **257**
disability, Does location of vertebral deformity within the spine influence back pain and disability?, **368**
disease duration, Do present damage and health perception in patients with systemic lupus erythematosus predict extent of future damage?: a prospective study, **832**
disease modifying antirheumatic drugs, Aggressive treatment in early rheumatoid arthritis: a randomised controlled trial, **468**
Efficacy and toxicity of old and new disease modifying antirheumatic drugs, **i32 (suppl I)**
Healing of erosions in rheumatoid arthritis, **647**
disease severity, Decreased T cell precursor frequencies to Epstein-Barr virus glycoprotein gp110, **533**
disease variables, Bone mineral density in systemic lupus erythematosus: comparison with rheumatoid arthritis and healthy controls, **110**
DNA, Detection of multiple viral DNA species in synovial tissue and fluid of patients with early arthritis, **342**
DNA amplification assays, Prevalence of *Chlamydia trachomatis* in urine of male patients with ankylosing spondylitis is not increased, **300**
Doppler ultrasonography, Inflamed retrocalcaneal bursa and Achilles tendonitis in psoriatic arthritis demonstrated by ultrasonography: *now and then,* **931**
drawn atlas, Development of a logically devised line drawing atlas for grading of knee osteoarthritis, **587**
DRB1, Rheumatoid arthritis and Epstein-Barr virus: a case of living with the enemy?: *leader,* **497**
drug regulation, Which post-marketing database and studies does EMEA require, **i36 (suppl I)**
dual energy *x* ray absorptiometry, Computed digital absorptiometry of the hand: screening method of bone loss in postmenopausal women with RA: *letter,* **492**
early arthritis, Detection of multiple viral DNA species in synovial tissue and fluid of patients with early arthritis, **342**
Magnetic resonance imaging, radiography, and scintigraphy of the finger joints: one year follow up of patients with early arthritis, **521**
early rheumatoid arthritis, No increased mortality in patients with rheumatoid arthritis: up to 10 years of follow up from disease onset, **954**
E-cadherin, Subclinical gut inflammation in spondyloarthropathy patients is associated with upregulation of the E-cadherin/catenin complex, **211**
education, Education to improve the health of the nation: Who should we educate?: *leader,* **401**
How should we be teaching our undergraduates?, **662**
Rheumatology: What should all doctors know?, **409**
Teaching rheumatology in primary care: *matters arising,* **1000**
Teaching the teachers: ways of improving teaching and identifying areas for development, **760**
What competence does a rheumatologist need?: an international perspective, **580**
elderly women, Factors that modify the association between knee pain and mobility limitation in older women: the Women's Health and Aging Study, **331**
employment, Psychosocial risks for low back pain: are these related to work?: *matters arising,* **319**
endothelin-1, Digital vascular responses and serum endothelin-1 concentrations in primary and secondary Raynaud's phenomenon, **870**
enthesitis, Enthesitis and ankylosis in spondyloarthropathy: What is the target of the immune response?, **985**
environment, Systemic vasculitis: epidemiology, classification and environmental factors : *leader,* **161**
epidemiology, Coffee consumption, RF, and the risk of RA: *matters arising,* **1000**
Coffee consumption, rheumatoid factor, and the risk of rheumatoid arthritis, **631**
Data driven attempt to create a clinical algorithm for identification of women with rheumatoid arthritis at high risk of osteoporosis, **805**
Epidemiology of research into interventions for the treatment of osteoarthritis of the knee joint: *review,* **414**
Epidemiology of whiplash: *matters arising,* **395**
Prevalence of Raynaud's phenomenon in a healthy Greek population, **206**
Standing Committee on Epidemiology and Health Services Research: past, present, and future: *leader,* **773**
Systemic vasculitis: epidemiology, classification and environmental factors : *leader,* **161**
VII European Paediatric Rheumatology Congress: Annual Scientific Meeting of PRES, **713**
epidermal growth factor, Expression of epidermal growth factor and transforming growth factor α in interfacial membranes retrieved at revision total hip arthroplasty, **822**
epidural, Comparison of the caudal and lumbar approaches to the epidural space, **879**
Epstein-Barr virus, Decreased T cell precursor frequencies to Epstein-Barr virus glycoprotein gp110, **533**
Rheumatoid arthritis and Epstein-Barr virus: a case of living with the enemy?: *leader,* **497**
erythropoietin, Anaemia in systemic lupus erythematosus: aetiological profile and the role of erythropoietin, **217**
E-selectin, Selectin adhesion molecules in Behçet's disease, **61**
etanercept, Etanercept (Enbrel): update on therapeutic use, **i46 (suppl I)**
From wheels to feet: a dramatic response of severe chronic psoriatic arthritis to etanercept: *letter,* **839**
ethnicity, Racial group, socioeconomic status, and the development of persistent proteinuria in systemic lupus erythematosus, **116**
EULAR, An evidence based EULAR meeting?: *letter,* **319**
The *Annals of the Rheumatic Diseases* becomes the EULAR journal: *leader,* **1**
The *Annals,* EULAR and the future of rheumatology: *leader,* **1**
EULAR guidelines, EULAR recommendations for the management of knee osteoarthritis: report of a task force of the Standing Committee for International Clinical Studies Including Therapeutic Trials (ESCISIT), **936**
EULAR Surveillance Register, Proposal to establish a register for the long term surveillance of adverse events in patients with rheumatic diseases exposed to biological agents: the EULAR Surveillance Register for Biological Compounds: *editorial,* **419**
European collaboration, Synovial biopsy in arthritis research: five years of concerted European collaboration: *review,* **506**
exercise, Effect of intensive exercise on patients with active rheumatoid arthritis: a randomised clinical trial, **615**
Synovial fluid chondroitin sulphate epitopes 3B3 and 7D4, and glycosaminoglycan in human knee osteoarthritis after exercise, **887**

familial aggregation, Familial aggregation of Behçet's disease in Turkey, **622**
familial Mediterranean fever, A survey of phenotype II in familial Mediterranean fever, **910**

Non-periodic leg pain in patients with familial Mediterranean fever: *letter*, **400**
Unusual presentation of familial Mediterranean fever: role of genetic diagnosis, **836**
familial myositis, Familial macrophagic myofasciitis: *letter*, **927**
Fas, The pre-ligand binding assembly domain: a potential target of inhibition of tumour necrosis factor receptor function, **i50 (suppl I)**
fatigue, Fatigue in primary Sjögren's syndrome: Is there a link with the fibromyalgia syndrome?, **875**
ferritin, Percentage of glycosylated serum ferritin remains low throughout the course of adult onset Still's disease, **347**
fever of unknown origin, Unusual presentation of familial Mediterranean fever: role of genetic diagnosis, **836**
fibrin deposition, Urokinase-mediated fibrinolysis in the synovial fluid of rheumatoid arthritis patients may be affected by the inactivation of single chain urokinase type plasminogen activator by thrombin, **315**
fibroblast, Angiotensin converting enzyme in human synovium: increased stromal [^{125}I]351A binding in rheumatoid arthritis, **125**
fibromyalgia, Fatigue in primary Sjögren's syndrome: Is there a link with the fibromyalgia syndrome?, **875**
How should we manage fibromyalgia?: *matters arising*, **490**
flow cytometry, Increased expression of CD40 ligand (CD154) on CD4+ T cells as a marker of disease activity in rheumatoid arthritis, **190**
fluoroscopy, Comparison of the caudal and lumbar approaches to the epidural space, **879**
fractures, Fragile without fractures, **166**
function, Socioeconomic deprivation and rheumatoid disease: What lessons for the health service?, **794**
functional capacity, No increased mortality in patients with rheumatoid arthritis: up to 10 years of follow up from disease onset, **954**
functional status, Predictors of functional status in patients with early rheumatoid arthritis, **223**

GALS, Impact on medical students of incorporating GALS screen teaching into the medical school curriculum, **668**
general practitioners, Teaching rheumatology in primary care: *matters arising*, **1000**
general public, The general public's knowledge and perceptions about rheumatic diseases, **32**
genetic susceptibility, Recurrence risk modelling of the genetic susceptibility to ankylosing spondylitis, **883**
genetics, Immunogenetic differencies between patients with familial and non-familial rheumatoid arthritis, **173**
Magnitude of the genetic component in juvenile idiopathic arthritis: *letter*, **1001**
genotypes, Polymorphism in the vitamin D receptor gene and bone mass in African-American and white mothers and children: a preliminary report, **626**
geographical clusters, The existence of geographical clusters of cases of inflammatory polyarthritis in a primary care based register, **152**
giant cell arteritis, HLA-DRB104 may be a marker of severity in giant cell arteritis: *letter*, **574**
glenohumeral joint, Relation of glenohumeral and acromioclavicular joint destruction in rheumatoid shoulder. A 15 year follow up study, **158**
glycoprotein gp110, Decreased T cell precursor frequencies to Epstein-Barr virus glycoprotein gp110, **533**
glycoprotein-39, Raised human cartilage glycoprotein-39 plasma levels in patients with rheumatoid arthritis and other inflammatory conditions, **544**
glycosylated ferritin, Percentage of glycosylated serum ferritin remains low throughout the course of adult onset Still's disease, **347**
gonadal hormone, Recent aspects of gonadal hormone and neurotransmitter interactions with synovial and immune cells: implications in rheumatoid arthritis: *leader*, **657**
gout, Beneficial effects of weight loss associated with moderate calorie/carbohydrate restriction, and increased proportional intake of protein and unsaturated fat on serum urate and lipoprotein levels in gout: a pilot study, **539**
Greek population, Prevalence of Raynaud's phenomenon in a healthy Greek population, **206**

haemolytic anaemia, Splenectomy for refractory Evans' syndrome associated with antiphospholipid antibodies: report of two cases, **920**
hand, Assessing the prevalence of hand osteoarthritis in epidemiological studies. The reliability of a radiological hand scale, **289**
Motor performance of the hand in patients with rheumatoid arthritis, **812**
HAQ, Predictors of functional status in patients with early rheumatoid arthritis, **223**
healing, Healing of erosions in rheumatoid arthritis, **647**
health care delivery, The role of national agencies in the managed introduction of new drugs for arthritis, **i38 (suppl I)**
health improvement, Education to improve the health of the nation: Who should we educate?: *leader*, **401**
health services research, Standing Committee on Epidemiology and Health Services Research: past, present, and future: *leader*, **773**
health status, Labour force participation among patients with rheumatoid arthritis, **549**
heart disease, Activation of cytokines as a mechanism of disease progression in heart failure, **i90 (suppl I)**
Inflammation-mediated rheumatic diseases and atherosclerosis: *leader*, **321**
hepatitis B virus vaccine, Familial macrophagic myofasciitis: *letter*, **927**
hepatitis C, Anticardiolipin autoantibodies in serum samples and cryoglobulins of patients with chronic hepatitis C infection, **483**
Increased serum concentrations of soluble HLA-class I antigens in hepatitis C virus related mixed cryoglobulinaemia, **20**
Polymyositis, cranial neuropathy, autoimmune hepatitis, and hepatitis C: *letter*, **839**
hip, Assessment of primary hip osteoarthritis: comparison of radiographic methods using colon radiographs, **650**
Bilateral hip osteonecrosis: influence of hip size on outcome, **817**
Expression of epidermal growth factor and transforming growth factor α in interfacial membranes retrieved at revision total hip arthroplasty, **822**
Health impact of pain in the hip region with and without radiographic evidence of osteoarthritis: a study of new attenders to primary care, **857**
Radiographic assessment of hip osteoarthritis progression: impact of reading procedures for longitudinal studies, **422**
Serum levels of YKL-40 and C reactive protein in patients with hip osteoarthritis and healthy subjects: a cross sectional study, **828**
Sonography for hip joint effusion in adults with hip pain, **178**
hirudin, Effect of thrombin inhibition on synovial inflammation in antigen induced arthritis, **781**
histology, Analysis of synovial biopsy samples: opportunities and challenges: *leader*, **929**
Comparative study of the synovial histology in rheumatoid arthritis, spondyloarthropathy, and osteoarthritis: influence of disease duration and activity, **945**
histone, Effect of circulating immune complexes on the binding of rheumatoid factor to histones, **351**
HLA B7, RS3PE syndrome. The relation with HLA B7: *matters arising*, **239**
HLA-B27, Ankylosing spondylitis in north Jordan:, **571**
HLA-B2709, The HLA-B2709 subtype in a patient with undifferentiated spondarthritis: *letter*, **654**
HLA-DRB1, HLA-DRB104 may be a marker of severity in giant cell arteritis: *letter*, **574**
Increased frequency of HLA-DRB10401 in patients with RA and bronchiectasis: *letter*, **1002**
Systemic scleroderma in Greece: low mortality and strong linkage with HLA-DRB11104 allele, **359**
horse, Influence of development and joint pathology on stromelysin enzyme activity in equine synovial fluid, **155**
human skeletal material, Distribution of distal femoral osteophytes in a human skeletal population, **513**
hyaluronate, Increased serum C reactive protein may reflect events that precede radiographic progression in osteoarthritis of the knee, **71**

IgA, Ciprofloxacin *v* placebo for treatment of *Yersinia enterocolitica* triggered reactive arthritis, **914**
immune response, Enthesitis and ankylosis in spondyloarthropathy: What is the target of the immune response?, **985**
immunoglobulin, Acute myocardial infarction associated with high dose intravenous immunoglobulin infusion for autoimmune disorders. A study of four cases, **77**
immunohistochemistry, Increased cellularity and expression of adhesion molecules in muscle biopsy specimens from patients with rheumatoid arthritis with clinical suspicion of vasculitis, but negative routine histology, **598**
Interindividual and intra-articular variation of proinflammatory cytokines in patients with rheumatoid arthritis: potential implications for treatment, **439**
Synovial membrane p53 protein immunoreactivity in rheumatoid arthritis patients, **143**
immunomodulation, Leflunomide: mode of action in the treatment of rheumatoid arthritis: *review*, **841**
immunosuppressive treatment, Pregnancy in patients with Wegener's granulomatosis: report of five cases in three women, **800**
incidence, A prospective study on the incidence of rheumatoid arthritis among people with persistent increase of rheumatoid factor, **149**
infection, VII European Paediatric Rheumatology Congress: Annual Scientific Meeting of PRES, **713**
inflammation, Adenoviral transgene delivery provides an approach to identifying important molecular processes in inflammation: evidence for heterogenecity in the requirement for NFκB in tumour necrosis factor production, **i54 (suppl I)**
Blockade of endogenous interleukin 12 results in suppression of murine streptococcal cell wall arthritis by enhancement of interleukin 10 and interleukin 1Ra, **196**

Effect of thrombin inhibition on synovial inflammation in antigen induced arthritis, **781**

inflammatory bowel disease, Subclinical gut inflammation in spondyloarthropathy patients is associated with upregulation of the E-cadherin/catenin complex, **211**

inflammatory mediators, Inflammation-mediated rheumatic diseases and atherosclerosis: *leader*, **321**

inflammatory muscle disease, Serum skeletal troponin I in inflammatory muscle disease: relation to creatine kinase, CKMB and cardiac troponin I: *letter*, **750**

inflammatory polyarthritis, The existence of geographical clusters of cases of inflammatory polyarthritis in a primary care based register, **152**

injections, Use of small amounts of ultrasound guided air for injections: *letter*, **926**

insulin resistance, Beneficial effects of weight loss associated with moderate calorie/carbohydrate restriction, and increased proportional intake of protein and unsaturated fat on serum urate and lipoprotein levels in gout: a pilot study, **539**

interferon γ, Targeting interleukin 18 with interleukin 18 binding protein, **i17 (suppl I)**

interleukin 1, Biological role of interleukin 1 receptor antagonist isoforms, **i60 (suppl I)**

Predictive value of interleukin 1 gene polymorphisms for surgery, **695**

Role of interleukin 1 and interleukin 1 receptor antagonist in the mediation of rheumatoid arthritis, **i103 (suppl I)**

Targeting interleukin 18 with interleukin 18 binding protein, **i17 (suppl I)**

interleukin 1 receptor antagonist, Biological role of interleukin 1 receptor antagonist isoforms, **i60 (suppl I)**

interleukin 10, Response to methotrexate in early rheumatoid arthritis is associated with a decrease of T cell derived tumour necrosis factor α, increase of interleukin 10, and predicted by the initial concentration of interleukin 4, **311**

interleukin 15, Effect of IL15 on T cell clonality in vitro and in the synovial fluid of patients with rheumatoid arthritis, **688**

interleukin 17, Effect of interleukin 17 on proteoglycan degradation in murine knee joints, **529**

interleukin 1β, Apoptosis in normal and osteoarthritic human articular cartilage, **959**

interleukin 2 receptor α, Advances in interleukin 2 receptor targeted treatment, **i109 (suppl I)**

interleukin 6, Anti-interleukin 6 receptor antibody treatment in rheumatic disease, **i21 (suppl I)**

Spontaneous and cytokine regulated c-*fos* gene expression in rheumatoid synovial cells: resistance to cytokine stimulation when the c-*fos* gene is overexpressed, **636**

interstitial pneumonia, Sequential changes of KL-6 in sera of patients with interstitial pneumonia associated with polymyositis/dermatomyositis, **257**

intra-articular corticosteroid injection, Importance of synovial fluid aspiration when injecting intra-articular corticosteroids, **233**

ischaemic necrosis of bone, Risk factors for avascular necrosis of bone in patients with systemic lupus erythematosus: Is there a role for antiphospholipid antibodies?, **462**

joint pathology, Influence of development and joint pathology on stromelysin enzyme activity in equine synovial fluid, **155**

juvenile arthritis, Inflammatory arthritis in children with osteochondrodysplasias, **864**

juvenile chronic arthritis, Psychological, behavioural, and social adjustment in children and adolescents with juvenile chronic arthritis, **276**

juvenile dermatomyositis, VII European Paediatric Rheumatology Congress: Annual Scientific Meeting of PRES, **713**

juvenile idiopathic arthritis, Magnitude of the genetic component in juvenile idiopathic arthritis: *letter*, **1001**

VII European Paediatric Rheumatology Congress: Annual Scientific Meeting of PRES, **713**

KL-6, Sequential changes of KL-6 in sera of patients with interstitial pneumonia associated with polymyositis/dermatomyositis, **257**

knee, Development of a logically devised line drawing atlas for grading of knee osteoarthritis, **587**

Distribution of distal femoral osteophytes in a human skeletal population, **513**

Early radiographic features in patients with anterior cruciate ligament rupture, **641**

Effect of interleukin 17 on proteoglycan degradation in murine knee joints, **529**

Efficacy of intra-articular primatised anti-CD4 in resistant rheumatoid knees: *letter*, **398**

Epidemiology of research into interventions for the treatment of osteoarthritis of the knee joint: *review*, **414**

EULAR recommendations for the management of knee osteoarthritis: report of a task force of the Standing Committee for International Clinical Studies Including Therapeutic Trials (ESCISIT), **936**

Procollagen IIC-peptide as a marker for assessing mechanical risk factors of knee osteoarthritis: effect of obesity and varus alignment, **982**

Synovial fluid chondroitin sulphate epitopes 3B3 and 7D4, and glycosaminoglycan in human knee osteoarthritis after exercise, **887**

Yttrium radiosynoviorthesis in the treatment of knee arthritis in rheumatoid arthritis: a systematic review, **583**

knee pain, Physiotherapy for anterior knee pain: a randomised controlled trial, **700**

knowledge, The general public's knowledge and perceptions about rheumatic diseases, **32**

labour force participation, Labour force participation among patients with rheumatoid arthritis, **549**

Larsen method, Relation of glenohumeral and acromioclavicular joint destruction in rheumatoid shoulder. A 15 year follow up study, **158**

leflunomide, Leflunomide: mode of action in the treatment of rheumatoid arthritis: *review*, **841**

leg pain, Non-periodic leg pain in patients with familial Mediterranean fever: *letter*, **400**

lip sialadenitis, Lower frequency of focal lip sialadenitis (focus score) in smoking patients. Can tobacco diminish the salivary gland involvement as judged by histological examination and anti-SSA/Ro and anti-SSB/La antibodies in Sjögren's syndrome?, **54**

lipids, Lipoproteins and their subfractions in psoriatic arthritis: identification of an atherogenic profile with active joint disease, **904**

lipoproteins, Lipoproteins and their subfractions in psoriatic arthritis: identification of an atherogenic profile with active joint disease, **904**

L-selectin, Circulating concentrations of soluble L-selectin (CD62L) in patients with primary Sjögren's syndrome, **297**

Selectin adhesion molecules in Behçet's disease, **61**

lumbar, Comparison of the caudal and lumbar approaches to the epidural space, **879**

lupus anticoagulant, Risk factors for avascular necrosis of bone in patients with systemic lupus erythematosus: Is there a role for antiphospholipid antibodies?, **462**

lupus nephritis, Racial group, socioeconomic status, and the development of persistent proteinuria in systemic lupus erythematosus, **116**

macrophage, Effect of osteoprotegerin and osteoprotegerin ligand on osteoclast formation by arthroplasty membrane derived macrophages, **26**

macrophagic myofasciitis, Familial macrophagic myofasciitis: *letter*, **927**

macrovascular disease, Macrovascular disease and systemic sclerosis, **39**

magnetic resonance imaging, Diagnosis and monitoring of central nervous system involvement in systemic lupus erythematosus: value of F-18 fluorodeoxyglucose PET, **377**

Improved medical and surgical management of cervical spine disease in patients with rheumatoid arthritis over 10 years, **434**

Magnetic resonance imaging, radiography, and scintigraphy of the finger joints: one year follow up of patients with early arthritis, **521**

managed care, The role of national agencies in the managed introduction of new drugs for arthritis, **i38 (suppl I)**

mast cells, Mast cells, extracellular matrix components, TGFβ isoforms and TGFβ receptor expression in labial salivary glands in systemic sclerosis, **183**

matrix metalloproteinase, Matrix metalloproteinases and tissue inhibitors of metalloproteinases in synovial fluids from patients with rheumatoid arthritis or osteoarthritis, **455**

MCP-1, Monocyte chemoattractant protein 1 (MCP-1) in temporal arteritis and polymyalgia rheumatica, **775**

mechanism of action, Leflunomide: mode of action in the treatment of rheumatoid arthritis: *review*, **841**

medical students, Impact on medical students of incorporating GALS screen teaching into the medical school curriculum, **668**

mental distress, A population study of factors associated with general practitioner consultation for non-inflammatory musculoskeletal pain, **788**

methotrexate, Immunoglobulin and lymphocyte decrease concurrent with adverse reactions induced by methotrexate for RA: *letter*, **495**

Response to methotrexate in early rheumatoid arthritis is associated with a decrease of T cell derived tumour necrosis factor α, increase of interleukin 10, and predicted by the initial concentration of interleukin 4, **311**

mice, Effect of thrombin inhibition on synovial inflammation in antigen induced arthritis, **781**

microsatellites, Microsatellite analysis in rheumatoid arthritis synovial fibroblasts, **386**

mismatch repair enzymes, Microsatellite analysis in rheumatoid arthritis synovial fibroblasts, **386**

mixed cryoglobulinaemia, Increased serum concentrations of soluble HLA-class I antigens in hepatitis C virus related mixed cryoglobulinaemia, **20**

mobility, Factors that modify the association between knee pain and mobility limitation in older women: the Women's Health and Aging Study, **331**

monocytes, Monocytes from systemic lupus erythematous patients are severely altered in phenotype and lineage flexibility, **283**

mood disorders, Diagnosis and treatment of mood disorders in patients with rheumatic disease: *leader*, 2
murine cartilage, Effect of interleukin 17 on proteoglycan degradation in murine knee joints, **529**
muscle biopsy, Increased cellularity and expression of adhesion molecules in muscle biopsy specimens from patients with rheumatoid arthritis with clinical suspicion of vasculitis, but negative routine histology, **598**
mutidrug resistance, Effects of cyclosporin at various concentrations on dexamethasone intracellular uptake in multidrug resistant cells, **146**
myocardial infarction, Acute myocardial infarction associated with high dose intravenous immunoglobulin infusion for autoimmune disorders. A study of four cases, 77

neck, The Southampton examination schedule for the diagnosis of musculoskeletal disorders of the upper limb, 5
neuropsychiatric systemic lupus erythematosus, Diagnosis and monitoring of central nervous system involvement in systemic lupus erythematosus: value of F-18 fluorodeoxyglucose PET, **377**
neurotransmitter, Recent aspects of gonadal hormone and neurotransmitter interactions with synovial and immune cells: implications in rheumatoid arthritis: *leader*, **657**
neutrophils, Neutrophil function in pregnancy and rheumatoid arthritis, **555**
new technologies, The role of national agencies in the managed introduction of new drugs for arthritis, **i38 (suppl I)**
non-Hodgkin's lymphoma, Non-Hodgkin's lymphoma presenting with spinal involvement: *lesson of the month*, **12**
non-steroidal anti-inflammatory drugs, Systematic review of the cost effectiveness of prophylactic treatments in the prevention of gastropathy in patients with rheumatoid arthritis or osteoarthritis taking non-steroidal anti-inflammatory drugs: *review*, **753**
nuclear factor κB, Activation of the transcription factor NF-κB in the rat air pouch model of inflammation, **303**

OARS atlas, Development of a logically devised line drawing atlas for grading of knee osteoarthritis, **587**
ocular disease, Retinal disease in patients with systemic lupus erythematosus, **705**
oestrogen replacement therapy, Hormone replacement therapy and patterns of osteoarthritis: baseline data from the Ulm Osteoarthritis Study, **105**
OSCE, Impact on medical students of incorporating GALS screen teaching into the medical school curriculum, **668**
osteoarthritis, Apoptosis in normal and osteoarthritic human articular cartilage, **959**
Assessment of primary hip osteoarthritis: comparison of radiographic methods using colon radiographs, **650**
Development of a logically devised line drawing atlas for grading of knee osteoarthritis, **587**
Distribution of distal femoral osteophytes in a human skeletal population, **513**
Early radiographic features in patients with anterior cruciate ligament rupture, **641**
Epidemiology of research into interventions for the treatment of osteoarthritis of the knee joint: *review*, **414**
EULAR recommendations for the management of knee osteoarthritis: report of a task force of the Standing Committee for International Clinical Studies Including Therapeutic Trials (ESCISIT), **936**
Expression of thrombospondin-1 and its receptor CD36 in human osteoarthritic cartilage, **448**
Hormone replacement therapy and patterns of osteoarthritis: baseline data from the Ulm Osteoarthritis Study, **105**
Matrix metalloproteinases and tissue inhibitors of metalloproteinases in synovial fluids from patients with rheumatoid arthritis or osteoarthritis, **455**
Procollagen IIC-peptide as a marker for assessing mechanical risk factors of knee osteoarthritis: effect of obesity and varus alignment, **982**
Serum levels of YKL-40 and C reactive protein in patients with hip osteoarthritis and healthy subjects: a cross sectional study, **828**
Sonography for hip joint effusion in adults with hip pain, **178**
Synovial fluid chondroitin sulphate epitopes 3B3 and 7D4, and glycosaminoglycan in human knee osteoarthritis after exercise, **887**
osteochondrodysplasias, Inflammatory arthritis in children with osteochondrodysplasias, **864**
osteoclast, Effect of osteoprotegerin and osteoprotegerin ligand on osteoclast formation by arthroplasty membrane derived macrophages, **26**
osteogenesis imperfecta, Fragile without fractures, **166**
osteonecrosis, Bilateral hip osteonecrosis: influence of hip size on outcome, **817**
osteophytes, Distribution of distal femoral osteophytes in a human skeletal population, **513**
osteoporosis, Background for studies on the treatment of male osteoporosis: state of the art, **765**
Computed digital absorptiometry of the hand: screening method of bone loss in postmenopausal women with RA: *letter*, **492**
Data driven attempt to create a clinical algorithm for identification of women with rheumatoid arthritis at high risk of osteoporosis, **805**
Vertebral fractures and bone mineral density in idiopathic, secondary and corticosteroid associated osteoporosis in men, **269**
osteoprotegerin, Effect of osteoprotegerin and osteoprotegerin ligand on osteoclast formation by arthroplasty membrane derived macrophages, **26**
outcome, Effect of a three month course of ciprofloxacin on the outcome of reactive arthritis, **565**
Predictors of functional status in patients with early rheumatoid arthritis, **223**
Socioeconomic deprivation and rheumatoid disease: What lessons for the health service?, **794**

p53, Synovial membrane p53 protein immunoreactivity in rheumatoid arthritis patients, **143**
paediatric rheumatology, VII European Paediatric Rheumatology Congress: Annual Scientific Meeting of PRES, **713**
pain, Factors that modify the association between knee pain and mobility limitation in older women: the Women's Health and Aging Study, **331**
Health impact of pain in the hip region with and without radiographic evidence of osteoarthritis: a study of new attenders to primary care, **857**
parvovirus, No serological indications that systemic lupus erythematosus is linked with exposure to human parvovirus B19, **64**
Pathogenesis of human parvovirus B19 in rheumatic disease: *review*, **672**
Pasteurella infection, Once bitten, twice shy!: *lesson of the month*, **684**
PEG sTNF-RI, Treatment of rheumatoid arthritis with PEGylated recombinant human soluble tumour necrosis factor receptor type I: a clinical update, **i41 (suppl I)**
pelvic radiographs, Radiographic assessment of hip osteoarthritis progression: impact of reading procedures for longitudinal studies, **422**
perceptions, The general public's knowledge and perceptions about rheumatic diseases, **32**
perirenal haemorrhage, Systemic vasculitis with bilateral perirenal haemorrhage in chronic myelomonocytic leukaemia, **390**
P-glycoprotein, Effects of cyclosporin at various concentrations on dexamethasone intracellular uptake in multidrug resistant cells, **146**
phagocytes, The oxidative metabolism of circulating phagocytes in ankylosing spondylitis: determination by whole blood chemiluminescence, **338**
phenotype II, A survey of phenotype II in familial Mediterranean fever, **910**
physiotherapy, Physiotherapy for anterior knee pain: a randomised controlled trial, **700**
plasminogen activator receptor, Marker of erosive progression in RA: *letter*, **656**
pneumomediastinum, Pneumomediastinum in dermatomyositis: association with cutaneous vasculopathy, **372**
polymerase chain reaction, Detection of multiple viral DNA species in synovial tissue and fluid of patients with early arthritis, **342**
polymorphism, Polymorphism in the vitamin D receptor gene and bone mass in African-American and white mothers and children: a preliminary report, **626**
polymorphisms, Predictive value of interleukin 1 gene polymorphisms for surgery, **695**
polymyalgia rheumatica, Monocyte chemoattractant protein 1 (MCP-1) in temporal arteritis and polymyalgia rheumatica, **775**
polymyositis, Polymyositis, cranial neuropathy, autoimmune hepatitis, and hepatitis C: *letter*, **839**
The relative prevalence of dermatomyositis and polymyositis in Europe exhibits a latitudinal gradient, **141**
positron emission tomography, Diagnosis and monitoring of central nervous system involvement in systemic lupus erythematosus: value of F-18 fluorodeoxyglucose PET, **377**
postmenopausal women, Hormone replacement therapy and patterns of osteoarthritis: baseline data from the Ulm Osteoarthritis Study, **105**
prediction, Increased serum C reactive protein may reflect events that precede radiographic progression in osteoarthritis of the knee, **71**
pregnancy, Neutrophil function in pregnancy and rheumatoid arthritis, **555**
Pregnancy in patients with Wegener's granulomatosis: report of five cases in three women, **800**
pre-ligand binding assembly domain, The pre-ligand binding assembly domain: a potential target of inhibition of tumour necrosis factor receptor function, **i50 (suppl I)**
pre-registration house officer, Impact on medical students of incorporating GALS screen teaching into the medical school curriculum, **668**
primary care, A population study of factors associated with general practitioner consultation for non-inflammatory musculoskeletal pain, **788**
Sonography for hip joint effusion in adults with hip pain, **178**
Teaching rheumatology in primary care: *matters arising*, **1000**

The existence of geographical clusters of cases of inflammatory polyarthritis in a primary care based register, **152**
primary Sjögren's syndrome, Circulating concentrations of soluble L-selectin (CD62L) in patients with primary Sjögren's syndrome, **297**
Impaired microvascular response to cholinergic stimuli in primary Sjögren's syndrome, **48**
procollagen IIC-propeptide, Procollagen IIC-peptide as a marker for assessing mechanical risk factors of knee osteoarthritis: effect of obesity and varus alignment, **982**
prognostic factors, No increased mortality in patients with rheumatoid arthritis: up to 10 years of follow up from disease onset, **954**
progression, Radiographic assessment of hip osteoarthritis progression: impact of reading procedures for longitudinal studies, **422**
proteoglycan degradation, Effect of interleukin 17 on proteoglycan degradation in murine knee joints, **529**
P-selectin, Selectin adhesion molecules in Behçet's disease, **61**
psoriatic arthritis, Anti-TNFα: a new dimension in the pharmacotherapy of the spondyloarthropathies !?: *leader*, **404**
Characterisation of uveitis in patients with psoriatic arthritis, **67**
Effects of a loading dose regimen of three infusions of chimeric monoclonal antibody to tumour necrosis factor α (infliximab) in spondyloarthropathy: an open pilot study, **428**
Etanercept (Enbrel): update on therapeutic use, **i46 (suppl I)**
From wheels to feet: a dramatic response of severe chronic psoriatic arthritis to etanercept: *letter*, **839**
Lipoproteins and their subfractions in psoriatic arthritis: identification of an atherogenic profile with active joint disease, **904**
Normal values of laboratory tests in elderly onset psoriatic arthritis: *matters arising*, **239**
psychology, Psychological, behavioural, and social adjustment in children and adolescents with juvenile chronic arthritis, **276**
psychosis, Steroid psychosis after an intra-articular injection: *letter*, **927**
psychosocial risks, Psychosocial risks for low back pain: are these related to work?: *matters arising*, **319**
publication, COPE guidelines on good publication practice: *leader*, **403**
pulmonary function, Ten year follow up of pulmonary function in patients with primary Sjögren's syndrome, **709**
pulmonary hypertension, Raised plasma adrenomedullin in patients with systemic sclerosis complicated by pulmonary hypertension: *letter*, **493**
Right ventricular diastolic abnormalities in systemic sclerosis. Relation to left ventricular involvement and pulmonary hypertension, **94**
Soluble thrombomodulin concentration is raised in scleroderma associated pulmonary hypertension, **132**
pulmonary infiltrates, Pulmonary infiltrates and abdominal colic pain in a patient with a connective tissue disorder, **15**
pulmonary venous flow, Diastolic function abnormalities in rheumatoid arthritis. Evaluation by echo Doppler transmitral flow and pulmonary venous flow: relation with duration of disease, **227**

quality of life, Value of the time trade off method for measuring utilities in patients with rheumatoid arthritis, **892**

radiographic atlas, Development of a logically devised line drawing atlas for grading of knee osteoarthritis, **587**
radiographic grading scales, Assessing the prevalence of hand osteoarthritis in epidemiological studies. The reliability of a radiological hand scale, **289**
radiographs, Assessment of primary hip osteoarthritis: comparison of radiographic methods using colon radiographs, **650**
radiography, Early radiographic features in patients with anterior cruciate ligament rupture, **641**
Magnetic resonance imaging, radiography, and scintigraphy of the finger joints: one year follow up of patients with early arthritis, **521**
radiology, A self limiting tumour, **252**
randomised controlled trials, Physiotherapy for anterior knee pain: a randomised controlled trial, **700**
Raynaud's phenomenon, Digital vascular responses and serum endothelin-1 concentrations in primary and secondary Raynaud's phenomenon, **870**
Prevalence of Raynaud's phenomenon in a healthy Greek population, **206**
reaction time, Motor performance of the hand in patients with rheumatoid arthritis, **812**
reactive arthritis, Characterisation of autoantibodies to neutrophil granule constituents among patients with reactive arthritis, rheumatoid arthritis, and ulcerative colitis, **898**
Effect of a three month course of ciprofloxacin on the outcome of reactive arthritis, **565**
reading procedures, Radiographic assessment of hip osteoarthritis progression: impact of reading procedures for longitudinal studies, **422**
receptor targeting, Advances in interleukin 2 receptor targeted treatment, **i109 (suppl I)**
recurrence risk studies, Recurrence risk modelling of the genetic susceptibility to ankylosing spondylitis, **883**
reimbursement, The role of national agencies in the managed introduction of new drugs for arthritis, **i38 (suppl I)**
Reiter cells, CD36 and CD14 immunoreactivity of Reiter cells in inflammatory synovial fluids: *letter*, **399**
reliability, Assessing the prevalence of hand osteoarthritis in epidemiological studies. The reliability of a radiological hand scale, **289**
responsiveness, Responsiveness of the core set, response criteria, and utilities in early rheumatoid arthritis, **966**
retinopathy, Retinal disease in patients with systemic lupus erythematosus, **705**
retrocalcaneal bursitis, Inflamed retrocalcaneal bursa and Achilles tendonitis in psoriatic arthritis demonstrated by ultrasonography: *now and then*, **931**
rheumatic diseases, Diagnosis and treatment of mood disorders in patients with rheumatic disease: *leader*, **2**
Pathogenesis of human parvovirus B19 in rheumatic disease: *review*, **672**
rheumatoid arthritis, A prospective study on the incidence of rheumatoid arthritis among people with persistent increase of rheumatoid factor, **149**
Aggressive treatment in early rheumatoid arthritis: a randomised controlled trial, **468**
Analysis of synovial biopsy samples: opportunities and challenges: *leader*, **929**
Anti-interleukin 6 receptor antibody treatment in rheumatic disease, **i21 (suppl I)**
Arguments for interleukin 1 as a target in chronic arthritis, **i81 (suppl I)**
Bone mineral density in systemic lupus erythematosus: comparison with rheumatoid arthritis and healthy controls, **110**
Cartilage destruction and bone erosion in arthritis: the role of tumour necrosis factor α, **i75 (suppl I)**
Characterisation of autoantibodies to neutrophil granule constituents among patients with reactive arthritis, rheumatoid arthritis, and ulcerative colitis, **898**
Clinical outcome measures in rheumatoid arthritis, **i28 (suppl I)**
Coffee consumption, RF, and the risk of RA: *matters arising*, **1000**
Coffee consumption, rheumatoid factor, and the risk of rheumatoid arthritis, **631**
Comparative study of the synovial histology in rheumatoid arthritis, spondyloarthropathy, and osteoarthritis: influence of disease duration and activity, **945**
Computed digital absorptiometry of the hand: screening method of bone loss in postmenopausal women with RA: *letter*, **492**
Consensus statement on the initiation and continuation of tumour necrosis factor blocking therapies in rheumatoid arthritis, **504**
Data driven attempt to create a clinical algorithm for identification of women with rheumatoid arthritis at high risk of osteoporosis, **805**
Decreased T cell precursor frequencies to Epstein-Barr virus glycoprotein gp110, **533**
Detection of multiple viral DNA species in synovial tissue and fluid of patients with early arthritis, **342**
Diagnostic evaluation of classification criteria for RA and reactive arthritis: *letter*, **397**
Diastolic function abnormalities in rheumatoid arthritis. Evaluation by echo Doppler transmitral flow and pulmonary venous flow: relation with duration of disease, **227**
Differential Th1/Th2 cytokine patterns in chronic arthritis: interferon γ is highly expressed in synovium of rheumatoid arthritis compared with seronegative spondyloarthropathies, **263**
Effect of circulating immune complexes on the binding of rheumatoid factor to histones, **351**
Effect of IL15 on T cell clonality in vitro and in the synovial fluid of patients with rheumatoid arthritis, **688**
Effect of intensive exercise on patients with active rheumatoid arthritis: a randomised clinical trial, **615**
Etanercept (Enbrel): update on therapeutic use, **i46 (suppl I)**
Future prospects for anti-cytokine treatment, **i119 (suppl I)**
Healing of erosions in rheumatoid arthritis, **647**
Immunogenetic differencies between patients with familial and non-familial rheumatoid arthritis, **173**
Immunoglobulin and lymphocyte decrease concurrent with adverse reactions induced by methotrexate for RA: *letter*, **495**
Immunohistochemical localisation of protein tyrosine kinase receptors Tie-1 and Tie-2 in synovial tissue of rheumatoid arthritis: correlation with angiogenesis and synovial proliferation, **607**
Importance of synovial fluid aspiration when injecting intra-articular corticosteroids, **233**
Improved medical and surgical management of cervical spine disease in patients with rheumatoid arthritis over 10 years, **434**
Increased cellularity and expression of adhesion molecules in muscle biopsy specimens from patients with rheumatoid arthritis with clinical suspicion of vasculitis, but negative routine histology, **598**
Increased expression of CD40 ligand (CD154) on CD4+ T cells as a marker of disease activity in rheumatoid arthritis, **190**
Increased frequency of HLA-DRB10401 in patients with RA and bronchiectasis: *letter*, **1002**

Interindividual and intra-articular variation of proinflammatory cytokines in patients with rheumatoid arthritis: potential implications for treatment, **439**
Labour force participation among patients with rheumatoid arthritis, **549**
Leflunomide: mode of action in the treatment of rheumatoid arthritis: *review*, **841**
Magnetic resonance imaging, radiography, and scintigraphy of the finger joints: one year follow up of patients with early arthritis, **521**
Marker of erosive progression in RA: *letter*, **656**
Matrix metalloproteinases and tissue inhibitors of metalloproteinases in synovial fluids from patients with rheumatoid arthritis or osteoarthritis, **455**
Microsatellite analysis in rheumatoid arthritis synovial fibroblasts, **386**
Neutrophil function in pregnancy and rheumatoid arthritis, **555**
Once bitten, twice shy!: *lesson of the month*, **684**
Predictive value of interleukin 1 gene polymorphisms for surgery, **695**
Predictors of functional status in patients with early rheumatoid arthritis, **223**
Raised human cartilage glycoprotein-39 plasma levels in patients with rheumatoid arthritis and other inflammatory conditions, **544**
Reduced incidence of alcohol related deaths in subjects with rheumatoid arthritis, **75**
Response to methotrexate in early rheumatoid arthritis is associated with a decrease of T cell derived tumour necrosis factor α, increase of interleukin 10, and predicted by the initial concentration of interleukin 4, **311**
Responsiveness of the core set, response criteria, and utilities in early rheumatoid arthritis, **966**
Rheumatoid arthritis and Epstein-Barr virus: a case of living with the enemy?: *leader*, **497**
Rheumatoid arthritis, poverty and smoking: *letter*, **396**
Role of interleukin 1 and interleukin 1 receptor antagonist in the mediation of rheumatoid arthritis, **i103 (suppl I)**
Synovial membrane p53 protein immunoreactivity in rheumatoid arthritis patients, **143**
The existence of geographical clusters of cases of inflammatory polyarthritis in a primary care based register, **152**
The final pathogenetic steps in focal bone erosions in rheumatoid arthritis, **i72 (suppl I)**
The role of angiogenesis in rheumatoid arthritis: recent developments, **i65 (suppl I)**
Treatment of rheumatoid arthritis with PEGylated recombinant human soluble tumour necrosis factor receptor type I: a clinical update, **i41 (suppl I)**
Urokinase-mediated fibrinolysis in the synovial fluid of rheumatoid arthritis patients may be affected by the inactivation of single chain urokinase type plasminogen activator by thrombin, **315**
Value of the time trade off method for measuring utilities in patients with rheumatoid arthritis, **892**
Yttrium radiosynoviorthesis in the treatment of knee arthritis in rheumatoid arthritis: a systematic review, **583**

rheumatoid disease, Socioeconomic deprivation and rheumatoid disease: What lessons for the health service?, **794**

rheumatoid factor, A prospective study on the incidence of rheumatoid arthritis among people with persistent increase of rheumatoid factor, **149**
Effect of circulating immune complexes on the binding of rheumatoid factor to histones, **351**
Incidence of RA in people with persistently raised RF: *letter*, **654**

rheumatoid meningitis, A case of rheumatoid meningitis positive for perinuclear antineutrophil cytoplasmic antibody: *letter*, **1001**

rheumatoid shoulder, Relation of glenohumeral and acromioclavicular joint destruction in rheumatoid shoulder. A 15 year follow up study, **158**

rheumatoid synovial cell, Spontaneous and cytokine regulated c-*fos* gene expression in rheumatoid synovial cells: resistance to cytokine stimulation when the c-*fos* gene is overexpressed, **636**

rheumatology, Bridging the gap in rheumatology, **86**
The *Annals*, EULAR and the future of rheumatology: *leader*, **1**

ribosomal P proteins, Anti-ribosomal P protein antibodies detected by immunoblotting in patients with connective tissue diseases: their specificity for SLE and association with IgG anticardiolipin antibodies, **975**
The clinical relevance of antibodies to ribosomal-P common epitope in two targeted systemic lupus erythematosus populations: a large cohort of consecutive patients and patients with active central nervous system disease, **99**

risk factors, Data driven attempt to create a clinical algorithm for identification of women with rheumatoid arthritis at high risk of osteoporosis, **805**

RS3PE syndrome, RS3PE syndrome. The relation with HLA B7: *matters arising*, **239**

rubella infection, Rubella infection in adult onset Still's disease: *letter*, **493**

sacroiliitis, Quantitative analyses of sacroiliac biopsies in spondyloarthropathies: T cells and macrophages predominate in early and active sacroiliitis— cellularity correlates with the degree of enhancement detected by magnetic resonance imaging, **135**

salivary glands, Mast cells, extracellular matrix components, TGFβ isoforms and TGFβ receptor expression in labial salivary glands in systemic sclerosis, **183**

sarcoidosis, Concurrence of sarcoidosis and aortitis: case report and review of the literature, **850**

scintigraphy, Magnetic resonance imaging, radiography, and scintigraphy of the finger joints: one year follow up of patients with early arthritis, **521**

scleroderma, Soluble thrombomodulin concentration is raised in scleroderma associated pulmonary hypertension, **132**
VII European Paediatric Rheumatology Congress: Annual Scientific Meeting of PRES, **713**

septic arthritis, Intra-articular corticosteroids in septic arthritis: beneficial or barmy?: *matters arising*, **240**

seronegative spondyloarthropathies, Differential Th1/Th2 cytokine patterns in chronic arthritis: interferon γ is highly expressed in synovium of rheumatoid arthritis compared with seronegative spondyloarthropathies, **263**

sex, Vertebral fractures and bone mineral density in idiopathic, secondary and corticosteroid associated osteoporosis in men, **269**

SF-20, Do present damage and health perception in patients with systemic lupus erythematosus predict extent of future damage?: a prospective study, **832**

shared epitope, Rheumatoid arthritis and Epstein-Barr virus: a case of living with the enemy?: *leader*, **497**

signalling, Jaks and Stats as therapeutic targets, **i115 (suppl I)**

single chain urokinase type plasminogen activator, Urokinase-mediated fibrinolysis in the synovial fluid of rheumatoid arthritis patients may be affected by the inactivation of single chain urokinase type plasminogen activator by thrombin, **315**

Sjögren's syndrome, Fatigue in primary Sjögren's syndrome: Is there a link with the fibromyalgia syndrome?, **875**
Lower frequency of focal lip sialadenitis (focus score) in smoking patients. Can tobacco diminish the salivary gland involvement as judged by histological examination and anti-SSA/Ro and anti-SSB/La antibodies in Sjögren's syndrome?, **54**
Ten year follow up of pulmonary function in patients with primary Sjögren's syndrome, **709**

skeletal troponin I, Serum skeletal troponin I in inflammatory muscle disease: relation to creatine kinase, CKMB and cardiac troponin I: *letter*, **750**

SLICC/ACR Damage Index, Do present damage and health perception in patients with systemic lupus erythematosus predict extent of future damage?: a prospective study, **832**

slow acting antirheumatic drugs, Aggressive treatment in early rheumatoid arthritis: a randomised controlled trial, **468**

smoking, Lower frequency of focal lip sialadenitis (focus score) in smoking patients. Can tobacco diminish the salivary gland involvement as judged by histological examination and anti-SSA/Ro and anti-SSB/La antibodies in Sjögren's syndrome?, **54**
Rheumatoid arthritis, poverty and smoking: *letter*, **396**

social deprivation, Rheumatoid arthritis, poverty and smoking: *letter*, **396**

socioeconomic status, Racial group, socioeconomic status, and the development of persistent proteinuria in systemic lupus erythematosus, **116**
Socioeconomic deprivation and rheumatoid disease: What lessons for the health service?, **794**

soluble adhesion molecules, Circulating concentrations of soluble L-selectin (CD62L) in patients with primary Sjögren's syndrome, **297**

soluble HLA, Increased serum concentrations of soluble HLA-class I antigens in hepatitis C virus related mixed cryoglobulinaemia, **20**

speed of movement, Motor performance of the hand in patients with rheumatoid arthritis, **812**

spine, Non-Hodgkin's lymphoma presenting with spinal involvement: *lesson of the month*, **12**

spleen, Enlarged spleen detected by abdominal ultrasonography in patients with RA: *letter*, **751**

splenectomy, Splenectomy for refractory Evans' syndrome associated with antiphospholipid antibodies: report of two cases, **920**

spondarthritis, The HLA-B2709 subtype in a patient with undifferentiated spondarthritis: *letter*, **654**

spondyloarthropathy, Anti-TNFα: a new dimension in the pharmacotherapy of the spondyloarthropathies !?: *leader*, **404**
Analysis of synovial biopsy samples: opportunities and challenges: *leader*, **929**
Characterisation of uveitis in patients with psoriatic arthritis, **67**
Comparative study of the synovial histology in rheumatoid arthritis, spondyloarthropathy, and osteoarthritis: influence of disease duration and activity, **945**
Effects of a loading dose regimen of three infusions of chimeric monoclonal antibody to tumour necrosis factor α (infliximab) in spondyloarthropathy: an open pilot study, **428**
Enthesitis and ankylosis in spondyloarthropathy: What is the target of the immune response?, **985**

Quantitative analyses of sacroiliac biopsies in spondyloarthropathies: T cells and macrophages predominate in early and active sacroiliitis— cellularity correlates with the degree of enhancement detected by magnetic resonance imaging, **135**
Subclinical gut inflammation in spondyloarthropathy patients is associated with upregulation of the E-cadherin/catenin complex, **211**
Treatment of spondyloarthropathies with antibodies against tumour necrosis factor α: first clinical and laboratory experiences, **i85 (suppl I)**
spondyloepiphysial dysplasia, Inflammatory arthritis in children with osteochondrodysplasias, **864**
standing committees, Standing Committee on Epidemiology and Health Services Research: past, present, and future: *leader,* **773**
stem cells, Autologous stem cell transplantation in a case of treatment resistant central nervous system lupus, **236**
steroid injection, Corticosteroid injection for the treatment of carpal tunnel syndrome, **918**
steroids, Steroid psychosis after an intra-articular injection: *letter,* **927**
Still's disease, Percentage of glycosylated serum ferritin remains low throughout the course of adult onset Still's disease, **347**
Rubella infection in adult onset Still's disease: *letter,* **493**
stromelysin (MMP-3), Influence of development and joint pathology on stromelysin enzyme activity in equine synovial fluid, **155**
subacromial impingement syndrome, Diagnostic values of clinical diagnostic tests in subacromial impingement syndrome, **44**
superoxide anions, Neutrophil function in pregnancy and rheumatoid arthritis, **555**
The oxidative metabolism of circulating phagocytes in ankylosing spondylitis: determination by whole blood chemiluminescence, **338**
survival, No increased mortality in patients with rheumatoid arthritis: up to 10 years of follow up from disease onset, **954**
Systemic scleroderma in Greece: low mortality and strong linkage with HLA-DRB11104 allele, **359**
synovial biopsy, Synovial biopsy in arthritis research: five years of concerted European collaboration: *review,* **506**
synovial fibroblasts, Microsatellite analysis in rheumatoid arthritis synovial fibroblasts, **386**
synovial fluid, CD36 and CD14 immunoreactivity of Reiter cells in inflammatory synovial fluids: *letter,* **399**
Detection of multiple viral DNA species in synovial tissue and fluid of patients with early arthritis, **342**
Influence of development and joint pathology on stromelysin enzyme activity in equine synovial fluid, **155**
Matrix metalloproteinases and tissue inhibitors of metalloproteinases in synovial fluids from patients with rheumatoid arthritis or osteoarthritis, **455**
synovial tissue, Detection of multiple viral DNA species in synovial tissue and fluid of patients with early arthritis, **342**
synovitis, Interindividual and intra-articular variation of proinflammatory cytokines in patients with rheumatoid arthritis: potential implications for treatment, **439**
synovium, Analysis of synovial biopsy samples: opportunities and challenges: *leader,* **929**
Angiotensin converting enzyme in human synovium: increased stromal [^{125}I]351A binding in rheumatoid arthritis, **125**
Comparative study of the synovial histology in rheumatoid arthritis, spondyloarthropathy, and osteoarthritis: influence of disease duration and activity, **945**
Synovial membrane p53 protein immunoreactivity in rheumatoid arthritis patients, **143**
systematic review, Systematic review of the cost effectiveness of prophylactic treatments in the prevention of gastropathy in patients with rheumatoid arthritis or osteoarthritis taking non-steroidal anti-inflammatory drugs: *review,* **753**
Yttrium radiosynoviorthesis in the treatment of knee arthritis in rheumatoid arthritis: a systematic review, **583**
systemic lupus erythematosus, An audit of cyclosporin for systemic lupus erythematosus and related overlap syndromes: limitations of its use, **487**
Anaemia in systemic lupus erythematosus: aetiological profile and the role of erythropoietin, **217**
Autologous stem cell transplantation in a case of treatment resistant central nervous system lupus, **236**
Avascular necrosis of a single vertebral body, an atypical site of disease in a patient with SLE and secondary APLS: *letter,* **494**
Bone mineral density and biochemical parameters of bone metabolism in female patients with systemic lupus erythematosus, **308**
Bone mineral density in systemic lupus erythematosus: comparison with rheumatoid arthritis and healthy controls, **110**
Cytokines and systemic lupus erythematosus, **243**
Development of additional autoimmune diseases in a population of patients with systemic lupus erythematosus, **230**
Do present damage and health perception in patients with systemic lupus erythematosus predict extent of future damage?: a prospective study, **832**
Monocytes from systemic lupus erythematous patients are severely altered in phenotype and lineage flexibility, **283**
No serological indications that systemic lupus erythematosus is linked with exposure to human parvovirus B19, **64**
Retinal disease in patients with systemic lupus erythematosus, **705**
The clinical relevance of antibodies to ribosomal-P common epitope in two targeted systemic lupus erythematosus populations: a large cohort of consecutive patients and patients with active central nervous system disease, **99**
Transverse myelopathy in systemic lupus erythematosus: an analysis of 14 cases and review of the literature, **120**
systemic scleroderma, Systemic scleroderma in Greece: low mortality and strong linkage with HLA-DRB11104 allele, **359**
systemic sclerosis, Association of the TNFa13 microsatellite with systemic sclerosis in Japanese patients, **293**
Macrovascular disease and systemic sclerosis, **39**
Mast cells, extracellular matrix components, TGFβ isoforms and TGFβ receptor expression in labial salivary glands in systemic sclerosis, **183**
Raised plasma adrenomedullin in patients with systemic sclerosis complicated by pulmonary hypertension: *letter,* **493**
Right ventricular diastolic abnormalities in systemic sclerosis. Relation to left ventricular involvement and pulmonary hypertension, **94**
Y chromosome microchimerism in rheumatic autoimmune disease: *letter,* **655**
systemic vasculitis, Systemic vasculitis: epidemiology, classification and environmental factors : *leader,* **161**
What is new in systemic vasculitis?, **924**

T cell clonality, Effect of IL15 on T cell clonality in vitro and in the synovial fluid of patients with rheumatoid arthritis, **688**
T cell cytokines, Differential Th1/Th2 cytokine patterns in chronic arthritis: interferon γ is highly expressed in synovium of rheumatoid arthritis compared with seronegative spondyloarthropathies, **263**
T cell precursor frequency, Decreased T cell precursor frequencies to Epstein-Barr virus glycoprotein gp110, **533**
T cells, Quantitative analyses of sacroiliac biopsies in spondyloarthropathies: T cells and macrophages predominate in early and active sacroiliitis—cellularity correlates with the degree of enhancement detected by magnetic resonance imaging, **135**
Takayasu's arteritis, Concurrence of sarcoidosis and aortitis: case report and review of the literature, **850**
tapping speed, Motor performance of the hand in patients with rheumatoid arthritis, **812**
teachers, Teaching the teachers: ways of improving teaching and identifying areas for development, **760**
temporal arteritis, Monocyte chemoattractant protein 1 (MCP-1) in temporal arteritis and polymyalgia rheumatica, **775**
thrombin, Effect of thrombin inhibition on synovial inflammation in antigen induced arthritis, **781**
Urokinase-mediated fibrinolysis in the synovial fluid of rheumatoid arthritis patients may be affected by the inactivation of single chain urokinase type plasminogen activator by thrombin, **315**
thrombocytopenia, Splenectomy for refractory Evans' syndrome associated with antiphospholipid antibodies: report of two cases, **920**
thrombomodulin, Soluble thrombomodulin concentration is raised in scleroderma associated pulmonary hypertension, **132**
thrombospondin-1, Expression of thrombospondin-1 and its receptor CD36 in human osteoarthritic cartilage, **448**
TIA-1, Post-transcriptional regulation of tumour necrosis factor α production, **i3 (suppl I)**
Tie-1, Immunohistochemical localisation of protein tyrosine kinase receptors Tie-1 and Tie-2 in synovial tissue of rheumatoid arthritis: correlation with angiogenesis and synovial proliferation, **607**
Tie-2, Immunohistochemical localisation of protein tyrosine kinase receptors Tie-1 and Tie-2 in synovial tissue of rheumatoid arthritis: correlation with angiogenesis and synovial proliferation, **607**
time trade off, Value of the time trade off method for measuring utilities in patients with rheumatoid arthritis, **892**
TNF microsatellite, Association of the TNFa13 microsatellite with systemic sclerosis in Japanese patients, **293**
transcription factor, Jaks and Stats as therapeutic targets, **i115 (suppl I)**
transforming growth factor, Expression of epidermal growth factor and transforming growth factor α in interfacial membranes retrieved at revision total hip arthroplasty, **822**
Mast cells, extracellular matrix components, TGFβ isoforms and TGFβ receptor expression in labial salivary glands in systemic sclerosis, **183**
transmitralic flow, Diastolic function abnormalities in rheumatoid arthritis. Evaluation by echo Doppler transmitral flow and pulmonary venous flow: relation with duration of disease, **227**
transverse myelopathy, Transverse myelopathy in systemic lupus erythematosus: an analysis of 14 cases and review of the literature, **120**
triamcinolone hexacetanide, Importance of synovial fluid aspiration when injecting intra-articular corticosteroids, **233**
tuberculosis, A visible and palpable cause of backache: *lesson of the month,* **164**
tumour, A self limiting tumour, **252**

tumour necrosis factor, Adenoviral transgene delivery provides an approach to identifying important molecular processes in inflammation: evidence for heterogenecity in the requirement for NFκB in tumour necrosis factor production, **i54 (suppl I)**
Arguments for interleukin 1 as a target in chronic arthritis, **i81 (suppl I)**
Consensus statement on the initiation and continuation of tumour necrosis factor blocking therapies in rheumatoid arthritis, **504**
Etanercept (Enbrel): update on therapeutic use, **i46 (suppl I)**
Targeting interleukin 18 with interleukin 18 binding protein, **i17 (suppl I)**
Tumour necrosis factor and anti-tumour necrosis factor approach to inflammatory demyelinating diseases of the central nervous system, **i94 (suppl I)**
Tumour necrosis factors receptor associated signalling molecules and their role in activation of apoptosis, JNK and NF-κB, **i6 (suppl I)**
Updated consensus statement on tumour necrosis factor blocking agents for the treatment of rheumatoid arthritis (May 2000), **i1 (suppl I)**
tumour necrosis factor α, Cartilage destruction and bone erosion in arthritis: the role of tumour necrosis factor α, **i75 (suppl I)**
Future prospects for anti-cytokine treatment, **i119 (suppl I)**
Monocytes from systemic lupus erythematous patients are severely altered in phenotype and lineage flexibility, **283**
Post-transcriptional regulation of tumour necrosis factor α production, **i3 (suppl I)**
Response to methotrexate in early rheumatoid arthritis is associated with a decrease of T cell derived tumour necrosis factor α, increase of interleukin 10, and predicted by the initial concentration of interleukin 4, **311**
Role of interleukin 1 and interleukin 1 receptor antagonist in the mediation of rheumatoid arthritis, **i103 (suppl I)**
Spontaneous and cytokine regulated c-*fos* gene expression in rheumatoid synovial cells: resistance to cytokine stimulation when the c-*fos* gene is overexpressed, **636**
Treatment of spondyloarthropathies with antibodies against tumour necrosis factor α: first clinical and laboratory experiences, **i85 (suppl I)**
tumour necrosis factor receptor, The pre-ligand binding assembly domain: a potential target of inhibition of tumour necrosis factor receptor function, **i50 (suppl I)**
tyrosine kinase, Jaks and Stats as therapeutic targets, **i115 (suppl I)**
tyrosine kinase receptors, Immunohistochemical localisation of protein tyrosine kinase receptors Tie-1 and Tie-2 in synovial tissue of rheumatoid arthritis: correlation with angiogenesis and synovial proliferation, **607**

ulcerative colitis, Characterisation of autoantibodies to neutrophil granule constituents among patients with reactive arthritis, rheumatoid arthritis, and ulcerative colitis, **898**
ultrasonography, Enlarged spleen detected by abdominal ultrasonography in patients with RA: *letter*, **751**
Sonography for hip joint effusion in adults with hip pain, **178**
undergraduates, How should we be teaching our undergraduates?, **662**
undifferentiated arthritis, Detection of multiple viral DNA species in synovial tissue and fluid of patients with early arthritis, **342**
undifferentiated spondyloarthropathies, Differential Th1/Th2 cytokine patterns in chronic arthritis: interferon γ is highly expressed in synovium of rheumatoid arthritis compared with seronegative spondyloarthropathies, **263**
upper limb, The Southampton examination schedule for the diagnosis of musculoskeletal disorders of the upper limb, **5**
urokinase, Marker of erosive progression in RA: *letter*, **656**
utility, Value of the time trade off method for measuring utilities in patients with rheumatoid arthritis, **892**
uveitis, Ankylosing spondylitis in north Jordan:, **571**
Characterisation of uveitis in patients with psoriatic arthritis, **67**

validity, The Southampton examination schedule for the diagnosis of musculoskeletal disorders of the upper limb, **5**
vasculitis, A prospective study of vasculitis patients collected in a five year period: evaluation of the Chapel Hill nomenclature, **478**
Biological role of interleukin 1 receptor antagonist isoforms, **i60 (suppl I)**
Increased cellularity and expression of adhesion molecules in muscle biopsy specimens from patients with rheumatoid arthritis with clinical suspicion of vasculitis, but negative routine histology, **598**
Risk factors for avascular necrosis of bone in patients with systemic lupus erythematosus: Is there a role for antiphospholipid antibodies?, **462**
Systemic vasculitis with bilateral perirenal haemorrhage in chronic myelomonocytic leukaemia, **390**
VII European Paediatric Rheumatology Congress: Annual Scientific Meeting of PRES, **713**
vasodilatation, Impaired microvascular response to cholinergic stimuli in primary Sjögren's syndrome, **48**
ventricular diastolic function, Right ventricular diastolic abnormalities in systemic sclerosis. Relation to left ventricular involvement and pulmonary hypertension, **94**
vertebral deformity, Does location of vertebral deformity within the spine influence back pain and disability?, **368**
viral infection, No serological indications that systemic lupus erythematosus is linked with exposure to human parvovirus B19, **64**
virus, Detection of multiple viral DNA species in synovial tissue and fluid of patients with early arthritis, **342**
vitamin D receptor, Polymorphism in the vitamin D receptor gene and bone mass in African-American and white mothers and children: a preliminary report, **626**

Wegener's granulomatosis, Pregnancy in patients with Wegener's granulomatosis: report of five cases in three women, **800**
whiplash, Epidemiology of whiplash: *matters arising*, **394**
work, Labour force participation among patients with rheumatoid arthritis, **549**
world wide web, http://www.ilar.org A source of information for rheumatologists, allied health professionals, medical students and the general public: *leader*, **241**

Y chromosome microchimerism, Y chromosome microchimerism in rheumatic autoimmune disease: *letter*, **655**
yersinia, Ciprofloxacin *v* placebo for treatment of *Yersinia enterocolitica* triggered reactive arthritis, **914**
YKL-40, Raised human cartilage glycoprotein-39 plasma levels in patients with rheumatoid arthritis and other inflammatory conditions, **544**
Serum levels of YKL-40 and C reactive protein in patients with hip osteoarthritis and healthy subjects: a cross sectional study, **828**
yttrium synovectomy, Yttrium radiosynoviorthesis in the treatment of knee arthritis in rheumatoid arthritis: a systematic review, **583**